LLNL Livermore Site First Quarter 2008 Self-Monitoring Report

The following is the first quarter 2008 self-monitoring data for the treatment facilities and Lake Haussmann at the Lawrence Livermore National Laboratory (LLNL) Livermore Site. Due to a more than 50% reduction in budget for the Livermore Site project in Fiscal Year 2008, the following facilities were shutdown: TFC East, VTFD-ETCS, TFD-HPD, VTFD-HPD, VTFD-HS, VTFE-ELM, TF5475-1, TF5475-2, TF5473-3, VTF5475, TF518 North, VTF518-PZ, and TF518-PZ. Also, TFA West was shutdown in January after a year-long treatability test.

The volumes of ground water and soil vapor treated and volatile organic compound (VOC) mass removed during the first quarter of 2008 are presented in Tables 1 and 2, respectively. Table 3 presents an historical summary of VOC mass and volume removed.

Attachment A presents ground water treatment facility and extraction well (ground water and soil vapor) VOC, chromium, bioassay, turbidity and chloride analyses (Tables A-1 through A-5). Metals and radiological analyses are presented in Tables A-6 and A-7, respectively. During the first quarter of 2008, all effluent sample analyses were within acceptable discharge limits with the exception of zinc in the TF518 North discharge. Zinc historically has not been detected at this facility and the data are being reviewed. TF518 North is currently shutdown.

Self-monitoring reports for all treatment facilities are presented in Attachment B. Monthly volumes of ground water extracted are shown in Appendix B; however, instantaneous flow rates are not shown for wells that are now only used for sampling and are not continuously pumped. The monthly volume shown for these wells is the quantity of water evacuated for sampling purposes. Monitoring data for Lake Haussmann are presented in Attachment C.

A well location map showing newly installed monitoring wells and treatment facilities, and ground water elevation contour maps showing hydraulic capture zones for hydrostratigraphic units (HSUs) 1B, 2, 3A, 3B, 4, and 5, are presented in Attachment D. There were no new monitoring wells installed during this reporting period. The contour maps for the individual HSUs are based on the month that best represents the pumping during the first quarter; due to the budget reduction, water levels were only collected in January and February.

This work performed under the auspices of the U.S. Department of Energy by Lawrence Livermore National Laboratory under Contract DE-AC52-07NA27344.

Table 1. Volumes of ground water and soil vapor extracted and treated at the Livermore Site, January through March 2008.

Treatment Area ^a	Month	Volume of ground water extracted (Kgal) ^b	Volume of vapor extracted (Kft ³) ^b
TFA	January	11,685	-
	February	9,419	-
	March	11,175	-
TFB	January	959	-
	February	0	-
	March	612	-
TFC	January	3,325	-
	February	3,508	-
	March	2,981	-
TFD	January	7,487	0
	February	5,626	0
	March	5,137	0
TFE	January	2,741	3,499
	February	2,065	1,397
	March	2,395	496
TFG	January	686	-
	February	569	-
	March	608	-
TFH	January	944	3,140
	February	874	2,753
	March	341	2,453
TOTAL		73,137	13,738

^a Totals include ground water and soil vapor extracted from the following facilities:

TFA area: TFA, TFA-E, TFA-W

TFB area: TFB

TFC area: TFC, TFC-E, TFC-SE

TFD area: TFD, TFD-E, TFD-HPD, TFD-S, TFD-SE, TFD-SS, TFD-W, VTFD-ETCS, VTFD-HPD, VTFD-HS

TFE area: TFE-E, TFE-HS, TFE-NW, TFE-SE, TFE-SW, TFE-W, VTFE-ELM, VTFE-HS

TFG area: TFG-1, TFG-N

TFH area: TF406, TF406-NW, TF518-N, TF518-PZ, TF5475-1, TF5475-2, TF5475-3, VTF406-HS, VTF511, VTF518-PZ, VTF5475

TFF started operation in February 1993 for fuel hydrocarbon remediation. In August 1995, the regulatory agencies agreed that the vadose zone remediation was complete, and in October 1996 a No Further Action status was granted for the ground water.

^b Totals are derived from individual extraction wells shown in Attachment B

^c Rounded number

Kft³ = thousands of cubic feet

Kgal = thousands of gallons

Table 2. VOC mass removed at the Livermore Site, January through March 2008.

Treatment Area ^a	VOC mass removed from ground water (kg)	VOC mass removed from soil vapor (kg)	Total VOC mass removed (kg) ^b
TFA	1.5	-	1.5
TFB	0.1	-	0.1
TFC	1.3	-	1.3
TFD	8.6	0	8.6
TFE	2.1	0.9	3.0
TFG	0.2	-	0.2
TFH	0.6	26.6	27.2
TOTALb	14.4	27.5	41.9

Table 3. Historical summary of volumes of water and soil vapor removed at the Livermore Site through March 2008.

Treatment Area ^a	Volume of ground water extracted (Mgal)	Volume of vapor extracted (Kft ³)	
TFA	1,547	-	
TFB	342	-	
TFC	340	-	
TFD	798	49,708	
TFE	285	124,223	
TFG	54	-	
TFH	129	156,829	
TOTAL ^b	3,495	330,760	

Table 4. Historical summary of VOC mass removed from water and soil vapor at the Livermore Site through March 2008.

Treatment Area ^a	VOC mass removed from ground water (kg)	VOC mass removed from soil vapor (kg)	Total VOC mass removed (kg) ^b
TFA	193	-	193
TFB	70	-	70
TFC	85	-	85
TFD	748	84	832
TFE	197	141	338
TFG	9	-	9
TFH	29	1,102	1,131
TOTAL ^b	1,331	1,327	2,658

 $^{^{\}rm a}$ Refer to Table 1 footnote for facilities in each treatment facility area.

Abbreviations for Tables 2, 3 and 4:

 $\mathbf{Kft}^3 = \mathbf{thousands}$ of cubic feet.

Kg = Kilograms.

Mgal = millions of gallons.

VOC = **Volatile** organic compound.

^b Rounded number.




Table A-1. VOC analyses of influent and effluent samples by treatment facility.

Sample Station	Date Sampled	Analytic Method	CCI₄	CHCl ₃	1,1-DCA	1,2-DCA	1,1-DCE	1,2-DCE	Freon 113	PCE	1,1,1-TCA	TCE	Freon 11
	•		<- ⁻	-	-	-	ug/L (ppb)	-	-	-	-	-	->
TFA													
TFA-I001	15-JAN-08	E624	<1	<1	1.1	<1	1.5	<1	<1	8.2	<1	0.81	<1
TFA-I001	04-FEB-08	E601	< 0.5	0.92	1.1	< 0.5	1.3	<1	< 0.5	7.5	< 0.5	0.68	<0.5
TFA-I001	05-MAR-08	E601	<0.5	0.93	0.97	<0.5	1.3	<1	<0.5	7.4	<0.5	0.72	<0.5
TFA-E001	15-JAN-08	E624	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1
TFA-E001	04-FEB-08	E601	< 0.5	< 0.5	< 0.5	< 0.5	<0.5	<1	< 0.5	< 0.5	<0.5	< 0.5	<0.5
TFA-E001	05-MAR-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFA-E													
W-254	15-JAN-08	E601	< 0.5	< 0.5	< 0.5	< 0.5	0.75	<1	< 0.5	54	<0.5	1.2	<0.5
STU06-I	04-FEB-08	E601	< 0.5	< 0.5	< 0.5	< 0.5	0.71	<1	< 0.5	52	<0.5	1.2	<0.5
STU06-I	05-MAR-08	E601	<0.5	<0.5	< 0.5	<0.5	0.7	<1	<0.5	55	<0.5	1.3	<0.5
STU06-E	15-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
STU06-E	04-FEB-08	E601	< 0.5	< 0.5	< 0.5	< 0.5	<0.5	<1	< 0.5	< 0.5	<0.5	< 0.5	<0.5
STU06-E	05-MAR-08	E601	<0.5	<0.5	< 0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFA-W ^a													
W-404	14-JAN-08	E601	< 0.5	< 0.5	1.2	< 0.5	1.6	<1	<0.5	7.3	< 0.5	< 0.5	<0.5
W-404	14-FEB-08	E601	< 0.5	< 0.5	1.1	< 0.5	1.4	<1	<0.5	7.1	< 0.5	< 0.5	<0.5
W-404	12-MAR-08	E601	<0.5	<0.5	1	<0.5	1.4	<1	<0.5	7.1	<0.5	<0.5	<0.5
TFA-W-E	14-JAN-08	E624	<1	<1	1.1	<1	1.4	<1	<1	6.5	<1	<0.5	<1
TFB ^b													
TFB-I002	09-JAN-08	E601	0.58	1.6	< 0.5	< 0.5	1.5	<1	4.1	1.5	<0.5	12	<0.5
TFB-I002	10-MAR-08	E601	<0.5	1.2	< 0.5	<0.5	1.4	<1	4.6	1.5	<0.5	8	<0.5
TFB-E002	09-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFB-E002	10-MAR-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFC													
TFC-I003	07-JAN-08	E601	< 0.5	1	<0.5	< 0.5	0.89	<1	11	6	< 0.5	14	<0.5
TFC-I003	04-FEB-08	E601	< 0.5	1.1	< 0.5	< 0.5	0.79	<1	9.3	6	<0.5	14	<0.5
TFC-I003	05-MAR-08	E601	<0.5	1	<0.5	<0.5	0.83	<1	10	6	<0.5	14	<0.5
TFC-E003	07-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFC-E003	04-FEB-08	E601	<0.5	<0.5	< 0.5	< 0.5	< 0.5	<1	<0.5	<0.5	<0.5	< 0.5	<0.5
TFC-E003	05-MAR-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5

Table A-1. VOC analyses of influent and effluent samples by treatment facility.

Sample Date Station Sample	Analytic d Method	CCI₄	CHCl ₃	1,1-DCA	1,2-DCA	1,1-DCE	1,2-DCE	Freon 113	PCE	1,1,1-TCA	TCE	Freon 11
•		<- ⁻	-	-	-	ug/L (ppb)	· -	-	-	-	-	->
TFC-E ^c												
MTU1-I 08-JAN-	08 E601	<0.5	15	< 0.5	< 0.5	1.1	<1	13	0.79	<0.5	9.8	3.8
MTU1-I 11-FEB-	08 E601	<0.5	14	<0.5	<0.5	0.96	<1	12	0.72	<0.5	8.8	3.4
MTU1-E 08-JAN-	08 E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
MTU1-E 11-FEB-	08 E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFC-SE												
PTU1-I 08-JAN-	08 E601	< 0.5	5.5	< 0.5	< 0.5	2.1	<1	7.1	< 0.5	<0.5	16	0.52
PTU1-I 04-FEB-	08 E601	< 0.5	6.2	< 0.5	< 0.5	2.1	<1	7.5	0.56	<0.5	16	0.55
PTU1-I 05-MAR-	08 E601	<0.5	6.7	<0.5	<0.5	2.2	<1	11	0.56	<0.5	17	0.76
PTU1-E 08-JAN-	08 E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
PTU1-E 04-FEB-		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
PTU1-E 05-MAR-		<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFD												
TFD-I004 16-JAN-	08 E601	1.8	1.8	<0.5	< 0.5	0.57	<1	< 0.5	0.75	< 0.5	38	24
TFD-I004 05-FEB-		1.9	1.9	<0.5	<0.5	0.59	<1	<0.5	0.84	<0.5	40	25
TFD-I004 05-MAR-		1.9	1.9	<0.5	<0.5	0.56	<1	<0.5	8.0	<0.5	38	23
TFD-E004 16-JAN-	08 E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFD-E004 05-FEB-		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TFD-E004 05-MAR-	08 E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFD-E												
PTU8-I 16-JAN-	08 E601	7.7	1.9	0.5	1.5	8.8	<1	0.93	8	< 0.5	110	1.8
PTU8-I 05-FEB-		7.7	1.9	0.58	1.7	11	<1	0.87	11	< 0.5	120	1.4
PTU8-I 05-MAR-	08 E601	6.6	1.7	<0.5	1.6	9	<1	0.84	15	<0.5	110	1.4
PTU8-E 16-JAN-	08 E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
PTU8-E 05-FEB-	08 E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
PTU8-E 05-MAR-		<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFD-HPD ^d												
TFD-S												
PTU2-I 15-JAN-	08 E601	0.92	1.5	< 0.5	< 0.5	2.9	<1	0.88	4.7	< 0.5	49	<0.5
PTU2-I 14-FEB-	08 E601	0.94	1.6	< 0.5	< 0.5	3	<1	0.92	4.6	< 0.5	51	<0.5
PTU2-I 13-MAR-	08 E601	1.1	1.7	<0.5	<0.5	3.5	<1	1.1	5.1	<0.5	56	<0.5

Table A-1. VOC analyses of influent and effluent samples by treatment facility.

Station Sampled Method CCI ₄ <-	-> 5 <0.5 6 <0.5 7 <0.5 7 <0.5 9 <0.5 9 <0.5 9 <0.5 9 <0.5 9 <0.5 9 <0.5
TFD-S (cont.) PTU2-E 15-JAN-08 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	5 <0.5 5 <0.5 5 <0.5 0 <0.5 0 <0.5 0 <0.5 0 <0.5
PTU2-E 15-JAN-08 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <th>5 <0.5 5 <0.5 0 <0.5 0 <0.5 0 <0.5 0 <0.5</th>	5 <0.5 5 <0.5 0 <0.5 0 <0.5 0 <0.5 0 <0.5
PTU2-E 14-FEB-08 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	5 <0.5 5 <0.5 0 <0.5 0 <0.5 0 <0.5 0 <0.5
PTU2-E 13-MAR-08 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	5 <0.5 0 <0.5 0 <0.5 0 <0.5 0 <0.5
TFD-SE PTU11-I 07-JAN-08 E601 1.5 7.6 0.94 2.5 15 <1 3.8 45 < 0.5 18 PTU11-I 05-FEB-08 E601 1.5 7.7 0.84 2.3 14 <1 3.4 40 < 0.5 18	0 <0.5 0 <0.5 0 <0.5 5 <0.5
PTU11-I 07-JAN-08 E601 1.5 7.6 0.94 2.5 15 <1 3.8 45 < 0.5 18 PTU11-I 05-FEB-08 E601 1.5 7.7 0.84 2.3 14 <1 3.4 40 < 0.5 18	0 <0.5 0 <0.5 5 <0.5
PTU11-I 05-FEB-08 E601 1.5 7.7 0.84 2.3 14 <1 3.4 40 < 0.5 18	0 <0.5 0 <0.5 5 <0.5
) <0.5 <0.5
PTU11-I 19-MAR-08 E601 1.2 5.4 1.5 5.6 27 <1 0.99 93 < 0.5 18	5 <0.5
PTU11-E 07-JAN-08 E601 <0.5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5	
PTU11-E 05-FEB-08 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5 <0.5	5 <0.5
PTU11-E 19-MAR-08 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	
TFD-SS	
PTU12-I 16-JAN-08 E601 2.6 2.3 0.76 2.6 13 <1 0.73 28 < 0.5 14	3.7
PTU12-I 14-FEB-08 E601 2.5 2.4 0.77 2.8 12 <1 0.71 27 < 0.5 14	
PTU12-I 18-MAR-08 E601 2.9 2.4 0.74 2.9 13 <1 0.76 27 <0.5 14	
PTU12-E 16-JAN-08 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5	5 <0.5
PTU12-E 14-FEB-08 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	
PTU12-E 18-MAR-08 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5 <2.5 <1 <0.5 <0.5 <0.5 <2.5 <1 <0.5 <0.5 <0.5 <2.5 <1 <1 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5	
	10.0
TFD-W	
PTU6-I 29-JAN-08 E601 <0.5 4.4 <0.5 <0.5 <0.5 <1 <0.5 <0.5 6.	
PTU6-I 20-FEB-08 E601 <0.5 4.8 <0.5 <0.5 <0.5 <1 <0.5 <0.5 5.	
PTU6-I 06-MAR-08 E601 <0.5 5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 5	5 54
PTU6-E 29-JAN-08 E601 <0.5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5	5 <0.5
PTU6-E 20-FEB-08 E601 <0.5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5	5 <0.5
PTU6-E 06-MAR-08 E601 <0.5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5 <0.5	5 <0.5
TFE-E	
PTU3-I 28-JAN-08 E601 0.54 5.5 <0.5 <0.5 10 <1 9.2 19 <0.5 8	<0.5
PTU3-I 19-FEB-08 E601 0.6 7.2 <0.5 <0.5 8.5 <1 6.3 16 <0.5 7	
PTU3-I 11-MAR-08 E601 <0.5 5.2 <0.5 <0.5 9.8 <1 8.5 17 <0.5 8	
PTU3-E 28-JAN-08 E601 <0.5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5	5 <0.5
PTU3-E 19-FEB-08 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5	
PTU3-E 11-MAR-08 E601 <0.5 <0.5 <0.5 <0.5 <0.5 <1 <0.5 <0.5 <0.5	

Table A-1. VOC analyses of influent and effluent samples by treatment facility.

Sample Station	Date Sampled	Analytic Method	CCI₄	CHCl ₃	1.1-DCA	1,2-DCA	1.1-DCE	1.2-DCE	Freon 113	PCE	1,1,1-TCA	TCE	Freon 11
			<-	-	-	-	ug/L (ppb)	-	-	-	-	-	->
TFE-HS													
GTU07-I	28-JAN-08	E601	1.9	1.8	<0.5	< 0.5	7.6	2.6	5.1	10	<0.5	240	<0.5
GTU07-I	19-FEB-08	E601	1.7	1.7	<0.5	< 0.5	7.5	2.3	7.4	14	< 0.5	240	<0.5
GTU07-I	11-MAR-08	E601	1.6	1.7	<0.5	<0.5	7	2.3	8.4	16	<0.5	250	<0.5
GTU07-E	28-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
GTU07-E	19-FEB-08	E601	< 0.5	< 0.5	<0.5	< 0.5	<0.5	<1	<0.5	< 0.5	< 0.5	< 0.5	<0.5
GTU07-E	11-MAR-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFE-NW													
PTU9-I	29-JAN-08	E601	< 0.5	1.3	< 0.5	< 0.5	< 0.5	<1	1.1	< 0.5	< 0.5	12	< 0.5
PTU9-I	20-FEB-08	E601	< 0.5	1.2	< 0.5	< 0.5	< 0.5	<1	0.93	< 0.5	< 0.5	12	< 0.5
PTU9-I	11-MAR-08	E601	<0.5	1.3	<0.5	<0.5	<0.5	<1	1	<0.5	<0.5	11	<0.5
PTU9-E	29-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
PTU9-E	20-FEB-08	E601	< 0.5	< 0.5	<0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
PTU9-E	11-MAR-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFE-SE													
W-359	09-JAN-08	E601	4.1	0.69	< 0.5	< 0.5	10	<1	9.3	8.7	< 0.5	100	0.91
MTU04-I	07-FEB-08	E601	3.5	0.61	< 0.5	< 0.5	9.2	<1	9.2	7.2	< 0.5	100	0.67
MTU04-I	06-MAR-08	E601	3.8	0.67	<0.5	<0.5	11	<1	9.1	7.2	<0.5	130	0.9
MTU04-E	09-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
MTU04-E	07-FEB-08	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
MTU04-E	06-MAR-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	1.6	<0.5
TFE-SW													
MTU03-I	09-JAN-08	E601	5.1	3.3	< 0.5	0.66	3.6	4.4	0.92	3.8	< 0.5	110	<0.5
MTU03-I	05-FEB-08	E601	3	2.3	< 0.5	< 0.5	3.8	4.6	1.2	2.9	< 0.5	95	<0.5
MTU03-I	06-MAR-08	E601	3.4	3	<0.5	0.55	3.1	5.2	0.93	2.9	<0.5	92	<0.5
MTU03-E	09-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
MTU03-E	05-FEB-08	E601	< 0.5	< 0.5	< 0.5	< 0.5	<0.5	<1	<0.5	< 0.5	< 0.5	< 0.5	<0.5
MTU03-E	06-MAR-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFE-W													
MTU05-I	09-JAN-08	E601	< 0.5	0.97	< 0.5	< 0.5	2.9	1.7	20	6.3	<0.5	34	0.69
MTU05-I	07-FEB-08	E601	< 0.5	0.99	< 0.5	< 0.5	2.6	1.6	19	6.4	<0.5	34	0.64
MTU05-I	06-MAR-08	E601	<0.5	1	< 0.5	< 0.5	2.6	1.6	18	6.1	<0.5	33	0.61

Table A-1. VOC analyses of influent and effluent samples by treatment facility.

Sample	Date	Analytic											
Station	Sampled	Method	CCI ₄	CHCI ₃	1,1-DCA -	1,2-DCA -	1,1-DCE ug/L (ppb)	1,2-DCE -	Freon 113	PCE -	1,1,1-TCA -	TCE -	Freon 11 ->
TFE-W (cont.)							0 11 7						
MTU05-E	09-JAN-08	E601	<0.5	< 0.5	<0.5	< 0.5	< 0.5	<1	< 0.5	<0.5	<0.5	< 0.5	<0.5
MTU05-E	07-FEB-08	E601	<0.5	<0.5	<0.5	< 0.5	<0.5	<1	<0.5	< 0.5	<0.5	< 0.5	<0.5
MTU05-E	06-MAR-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFG-1													
W-1111	29-JAN-08	E601	3	10	< 0.5	< 0.5	1.3	<1	<0.5	1.6	< 0.5	4	<0.5
GTU01-I	19-FEB-08	E601	3	10	< 0.5	< 0.5	1.3	<1	0.51	1.6	< 0.5	4.5	<0.5
GTU01-I	06-MAR-08	E601	2.8	9.5	<0.5	<0.5	1.3	<1	<0.5	1.5	<0.5	4.2	<0.5
GTU01-E	29-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
GTU01-E	19-FEB-08	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
GTU01-E	06-MAR-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TFG-N													
MTU02-I	29-JAN-08	E601	<0.5	1.7	< 0.5	< 0.5	1	<1	1.2	16	< 0.5	4.8	<0.5
MTU02-I	20-FEB-08	E601	< 0.5	1.6	< 0.5	< 0.5	1	<1	1.2	15	< 0.5	4.6	<0.5
MTU02-I	06-MAR-08	E601	<0.5	1.7	<0.5	<0.5	1.1	<1	1.2	15	<0.5	4.5	<0.5
MTU02-E	07-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
MTU02-E	29-JAN-08	E601	< 0.5	< 0.5	<0.5	< 0.5	< 0.5	<1	<0.5	< 0.5	< 0.5	< 0.5	<0.5
MTU02-E	20-FEB-08	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	<0.5
MTU02-E	06-MAR-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TF406													
PTU5-I	29-JAN-08	E601	< 0.5	0.6	< 0.5	< 0.5	< 0.5	<1	<0.5	< 0.5	< 0.5	5.4	< 0.5
PTU5-I	14-FEB-08	E601	< 0.5	0.84	< 0.5	< 0.5	< 0.5	<1	0.5	< 0.5	< 0.5	7	< 0.5
PTU5-I	13-MAR-08	E601	<0.5	0.9	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	6.9	<0.5
PTU5-E	29-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
PTU5-E	14-FEB-08	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
PTU5-E	13-MAR-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TF406-NW ^e													
W-1801	28-JAN-08	E601	< 0.5	2.1	< 0.5	< 0.5	< 0.5	<1	6.7	0.7	<0.5	27	<0.5
GTU03-I	14-FEB-08	E601	<0.5	2.2	<0.5	<0.5	<0.5	<1	6.5	0.7	<0.5	26	<0.5
GTU03-E	28-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
GTU03-E	14-FEB-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5

Table A-1. VOC analyses of influent and effluent samples by treatment facility.

Sample Station	Date Sampled	Analytic Method	CCI₄	CHCI ₃	1,1-DCA	1,2-DCA	1,1-DCE	1 2-DCE	Freon 113	PCE	1,1,1-TCA	TCE	Freon 11
Station	Janipieu	WELLIOU	<-	-	-	1,2-DCA -	ug/L (ppb)		-	-	-	-	->
TF518-N ^f													
W-1410	23-JAN-08	E601	2.8	1.5	<0.5	< 0.5	< 0.5	<1	<0.5	0.83	< 0.5	18	<0.5
STU09-I	05-FEB-08	E601	4.1	1.5	< 0.5	1.1	0.5	<1	< 0.5	3.7	< 0.5	66	<0.5
STU09-I	20-FEB-08	E601	4.1	1.7	<0.5	1.2	0.56	<1	<0.5	4.5	<0.5	75	<0.5
STU09-E	23-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
STU09-E	05-FEB-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TF5475-1 ^g													
TF5475-2 ^h													
GTU09-I	16-JAN-08	E601	2	39	0.81	2.9	19	<1	5.8	46	< 0.5	420	<0.5
GTU09-I	04-FEB-08	E601	1.3	21	0.5	2	13	<1	5.6	31	<0.5	270	<0.5
GTU09-E	16-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
GTU09-E	04-FEB-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5
TF5475-3 ⁱ													

Notes on following page.

Table A-1. VOC analyses of influent and effluent samples by treatment facility.

Notes:

CCl₄ = Carbon tetrachloride

CHCl₃ = Chloroform

1,1-DCA = 1,1-Dichloroethane

1,2-DCA = 1,2-Dichloroethane

1,1-DCE = 1,1-Dichloroethylene

1,2-DCE = 1,2-Dichloroethylene

Freon 113 = Trichlorotrifluoroethane

PCE = Tetrachloroethylene

1,1,1-TCA = 1,1,1-Trichloroethane

TCE = Trichloroethene

Freon 11 = Trichlorofluoromethane

VOC = volatile organic compound

NA = not analyzed

Numbers in **BOLD** print indicate positive values above the detection limit.

Rows that are shaded indicate results were out of compliance.

^a TFA-W was shut down in January after a year-long treatability test.

^b TFB did not operate during the month of February due to operating system upgrades.

^c TFC-E did not operate during the month of March due to the budget reduction.

c TFD-HPD did not operate in January and February in preparation for the bioremediation pilot test and then subsequently was shut down due to the budget reduction.

^e TF406-NW did not operate during the month of March due to pump repairs.

^f TF518-N did not operate during the month of March due to the budget reduction.

⁹ TF5475-1 did not operate during the first two months of the reporting period due to computer malfunctions and then subsequently was shut down due to the budget reduction.

^h TF5475-2 did not operate during the month of March due to the budget reduction.

i TF5475-3 did not operate during the first two months of the reporting period due to high system pressure issues and then subsequently was shut down due to the budget reduction.

Table A-2. VOC analyses of samples from treatment facility extraction wells.

Extraction Well	Date Sampled	Analytic Method	CCI₄	CHCI ₃	1.1-DCA	1,2-DCA	1.1-DCF	1.2-DCF	Freon 113	PCE	1,1,1-TCA	TCE	Freon 1
	Gampiou		<-	-	-	-	ug/L (ppb)	-	-	-	-	-	->
TFA													
W-109	29-JAN-08	E601	<0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	<0.5	2	<0.5	< 0.5	< 0.5
W-262	29-JAN-08	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	0.56	< 0.5	< 0.5	< 0.5
W-408	29-JAN-08	E601	<0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	<0.5	0.74	<0.5	< 0.5	< 0.5
W-415	29-JAN-08	E601	< 0.5	1.1	0.78	< 0.5	1.6	<1	< 0.5	13	<0.5	1.1	< 0.5
W-457	29-JAN-08	E601	< 0.5	< 0.5	0.93	< 0.5	1.1	<1	< 0.5	8.9	< 0.5	0.51	< 0.5
W-518	29-JAN-08	E601	< 0.5	< 0.5	7.2	< 0.5	3.3	<1	< 0.5	4.1	< 0.5	0.56	< 0.5
W-520 ^a	14-JAN-04	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	1.2	< 0.5	< 0.5	< 0.5
W-522	29-JAN-08	E601	< 0.5	< 0.5	1.9	< 0.5	1.3	<1	<0.5	3.4	< 0.5	< 0.5	< 0.5
W-601 ^a	18-OCT-07	E601	< 0.5	< 0.5	<0.5	< 0.5	<0.5	<1	<0.5	1.3	< 0.5	< 0.5	< 0.5
W-602 ^a	14-JAN-04	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	1.4	< 0.5	< 0.5	< 0.5
W-603 ^a	15-JAN-02	E601	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	0.64	< 0.5	< 0.5	< 0.5
W-605	29-JAN-08	E601	< 0.5	1	0.91	< 0.5	1.4	<1	< 0.5	25	< 0.5	1.2	< 0.5
W-609 ^a	14-JAN-04	E601	< 0.5	< 0.5	0.92	< 0.5	< 0.5	<1	< 0.5	0.65	< 0.5	< 0.5	< 0.5
W-614	29-JAN-08	E601	<0.5	0.84	< 0.5	< 0.5	< 0.5	<1	< 0.5	8.6	< 0.5	< 0.5	< 0.5
W-712	29-JAN-08	E601	3	2.9	1.1	< 0.5	3.3	<1	< 0.5	1.6	< 0.5	3.3	< 0.5
W-714	29-JAN-08	E601	< 0.5	< 0.5	< 0.5	< 0.5	0.53	<1	< 0.5	12	< 0.5	< 0.5	< 0.5
W-903	29-JAN-08	E601	<0.5	< 0.5	1.8	< 0.5	1.4	<1	< 0.5	7.5	< 0.5	0.52	< 0.5
W-904	29-JAN-08	E601	<0.5	< 0.5	0.87	< 0.5	1.3	<1	< 0.5	8.6	< 0.5	< 0.5	< 0.5
W-1001	29-JAN-08	E601	<0.5	< 0.5	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
W-1004	29-JAN-08	E601	<0.5	<0.5	<0.5	< 0.5	<0.5	<1	<0.5	4.1	<0.5	< 0.5	< 0.5
W-1009	29-JAN-08	E601	1.4	5.9	0.95	<0.5	3.7	<1	0.65	13	<0.5	2.2	<0.5
TFA-E													
W-254	15-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	0.75	<1	<0.5	54	<0.5	1.2	<0.5
TFA-W													
W-404	12-MAR-08	E601	<0.5	<0.5	1	<0.5	1.4	<1	<0.5	7.1	<0.5	<0.5	<0.5
TFB													
W-357	09-JAN-08	E601	1.7	2.4	< 0.5	<0.5	1.5	<1	5.7	1.4	< 0.5	42	< 0.5
W-610	09-JAN-08	E601	<0.5	< 0.5	< 0.5	< 0.5	1.9	<1	2.9	0.97	<0.5	2.4	< 0.5
W-620	09-JAN-08	E601	<0.5	1.5	< 0.5	< 0.5	2.6	<1	5.3	2.2	<0.5	7.2	< 0.5
W-621	09-JAN-08	E601	<0.5	< 0.5	< 0.5	< 0.5	0.51	<1	1.4	0.5	<0.5	4.2	< 0.5
W-655	09-JAN-08	E601	<0.5	0.56	< 0.5	< 0.5	< 0.5	<1	3.3	< 0.5	<0.5	2.5	< 0.5
W-704	09-JAN-08	E601	0.71	2.5	<0.5	< 0.5	1.5	<1	6.2	3.6	<0.5	25	<0.5
W-1423	09-JAN-08	E601	0.8	4	< 0.5	<0.5	3	<1	5.2	2.4	< 0.5	10	< 0.5

Table A-2. VOC analyses of samples from treatment facility extraction wells.

Extraction	Date	Analytic											_
Well	Sampled	Method	CCI ₄ <-	CHCI ₃	1,1-DCA -	1,2-DCA -	1,1-DCE ug/L (ppb)	1,2-DCE -	Freon 113 -	PCE -	1,1,1-TCA -	TCE -	Freon 11 ->
 TFC													
W-701	07-JAN-08	E601	< 0.5	2.1	< 0.5	< 0.5	1.8	<1	32	0.51	< 0.5	8.6	<0.5
W-1015	07-JAN-08	E601	< 0.5	0.62	< 0.5	< 0.5	0.97	<1	2.1	1.2	< 0.5	5.1	<0.5
W-1102	07-JAN-08	E601	< 0.5	< 0.5	< 0.5	< 0.5	0.54	<1	7.6	< 0.5	< 0.5	2.5	<0.5
W-1103	07-JAN-08	E601	< 0.5	< 0.5	<0.5	< 0.5	<0.5	<1	<0.5	< 0.5	< 0.5	1.7	<0.5
W-1104	07-JAN-08	E601	< 0.5	0.82	< 0.5	< 0.5	< 0.5	<1	4.1	12	< 0.5	24	<0.5
W-1116	07-JAN-08	E601	<0.5	0.93	<0.5	<0.5	<0.5	<1	3.4	1.8	<0.5	2.8	<0.5
TFC-E													
W-368	08-JAN-08	E601	< 0.5	11	< 0.5	< 0.5	0.82	<1	18	2.3	< 0.5	16	3.7
W-413	08-JAN-08	E601	<0.5	15	<0.5	<0.5	1.2	<1	11	<0.5	<0.5	8.1	3.7
TFC-SE													
W-1213	08-JAN-08	E601	<0.5	3.2	<0.5	< 0.5	2.6	<1	5.1	< 0.5	<0.5	16	< 0.5
W-2201	08-JAN-08	E601	<0.5	8.3	<0.5	<0.5	2.5	<1	15	0.64	<0.5	18	1.1
TFD													
W-351	16-JAN-08	E601	5.5	1	<0.5	0.98	4.1	<1	1	5.3	<0.5	110	1.2
W-653 ^a	04-APR-07	E601	49	14	<0.5	<0.5	1.6	<1	6	1.3	<0.5	1500	<0.5
W-906	16-JAN-08	E601	0.91	1.5	<0.5	< 0.5	<0.5	<1	<0.5	< 0.5	< 0.5	5.2	4.6
W-907-2	16-JAN-08	E601	1	2.4	< 0.5	< 0.5	1.1	<1	< 0.5	1.4	< 0.5	26	< 0.5
W-1206	16-JAN-08	E601	1	1.4	< 0.5	< 0.5	0.61	<1	< 0.5	0.5	< 0.5	20	< 0.5
W-1208	16-JAN-08	E601	3	2	< 0.5	< 0.5	< 0.5	<1	0.57	0.75	< 0.5	65	56
W-2011 ^a	04-APR-07	E601	3.1	2.2	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	77	<0.5
W-2101 ^a	04-APR-07	E601	17	5.2	< 0.5	< 0.5	0.68	<1	2.7	0.83	< 0.5	450	<0.5
W-2102 ^a	04-APR-07	E601	28	9.7	<0.5	<0.5	0.74	<1	3.6	0.77	<0.5	840	1.8
TFD-E													
W-1253 ^b	11-FEB-08	E601	6	6.2	<5	<5	16	<10	17	12	<5	2300	<5
W-1255	11-FEB-08	E601	4.4	2	<0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	260	<0.5
W-1301	16-JAN-08	E601	4.4	2.3	2.7	8.4	61	<1	<0.5	39	< 0.5	320	<0.5
W-1303	16-JAN-08	E601	3.2	2.8	0.97	4.1	7.9	1.1	<0.5	7.8	< 0.5	180	20
W-1306	16-JAN-08	E601	7.2	2	< 0.5	< 0.5	0.56	<1	0.86	2.1	<0.5	130	<0.5
W-1307	16-JAN-08	E601	3.3	0.7	<0.5	< 0.5	<0.5	<1	<0.5	0.59	<0.5	46	< 0.5
W-1404	16-JAN-08	E601	<0.5	1.6	1.4	9.4	3.5	1.2	<0.5	79	<0.5	100	<0.5
W-1550	16-JAN-08	E601	18	3.8	< 0.5	< 0.5	2.7	<1	1.5	11	<0.5	160	< 0.5
W-2006	16-JAN-08	E601	1.8	2.9	5	17	110	2.3	<0.5	100	<0.5	750	<0.5
W-2203	16-JAN-08	E601	20	2.6	<0.5	< 0.5	4.4	<1	4	9.2	<0.5	140	< 0.5

Table A-2. VOC analyses of samples from treatment facility extraction wells.

Well TFD-HPD ^c W-1254 ^a W-1551 ^a W-1552 ^a	04-OCT-07 04-OCT-07	Method	CCI ₄	CHCI ₃	1,1-DCA	1,2-DCA	1,1-DCE	1,2-DCE	Freon 113	PCE	1,1,1-TCA	TCE	Freon 1
W-1254 ^a W-1551 ^a W-1552 ^a		F05:			-	-	ug/L (ppb)	-	_	-	· · -	-	->
W-1254 ^a W-1551 ^a W-1552 ^a		- 06:											
W-1551 ^a W-1552 ^a		⊢ 6∩1	0.88	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	14	<0.5
W-1552 ^a		E601 E601	0.66 11	<0.5 4.4	<0.5 <0.5	<0.5 <0.5	<0.5 1.6	<1	<0.5 3	<0.5 3.1	<0.5 <0.5	210	<0.5 <0.5
VV-1552													
W-1650 ^a	20-DEC-07	E601	< 0.5	0.96	< 0.5	< 0.5	<0.5	<1	<0.5	<0.5	< 0.5	22	<0.5
VV-1050	20-DEC-07	E601	7.1	1.8	<0.5	< 0.5	<0.5	<1	2.6	<0.5	< 0.5	260	<0.5
W-1651 ^a	20-DEC-07	E601	1.3	1.1	<0.5	< 0.5	<0.5	<1	0.61	< 0.5	< 0.5	64	<0.5
W-1652 ^a	18-DEC-07	E601	3	2	< 0.5	< 0.5	<0.5	3.7	1	0.54	<0.5	420	< 0.5
W-1653 ^a	18-DEC-07	E601	1.4	0.9	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	74	<0.5
W-1654 ^a	18-DEC-07	E601	<0.5	0.55	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	25	<0.5
W-1655 ^a	18-DEC-07	E601	0.62	0.94	<0.5	<0.5	<0.5	<1	<0.5	1	<0.5	49	<0.5
W-1656 ^a	18-DEC-07	E601	2.5	0.97	<0.5	<0.5	<0.5	<1	0.88	<0.5	<0.5	100	<0.5
W-1657 ^a	18-DEC-07	E601	12	5.1	<0.5	<0.5	<0.5	<1	4.2	0.52	<0.5	1200	<0.5
TFD-S													
W-1503	15-JAN-08	E601	1.2	1.9	< 0.5	< 0.5	1.9	<1	0.69	2.9	< 0.5	46	< 0.5
W-1504	15-JAN-08	E601	< 0.5	< 0.5	< 0.5	< 0.5	9.6	1.3	1.9	16	< 0.5	83	<0.5
W-1510	15-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	3	<1	0.64	4.5	<0.5	33	<0.5
TFD-SE													
W-314	07-JAN-08	E601	1.6	8.9	0.72	1.7	11	<1	5	21	<0.5	170	<0.5
W-1308	07-JAN-08	E601	< 0.5	1.2	1.7	5.7	19	<1	<0.5	120	<0.5	130	<0.5
W-1308 W-1403	07-JAN-08	E601	2.9	20	1.4	6.8	44	<1	4.4	95	<0.5	470	<0.5
W-1403 W-1904 ^a	26-DEC-07	E601	<0.5	< 0.5	0.54	0.67	5.8	<1	< 0.5	39	<0.5	42	<0.5
W-2005	07-JAN-08	E601	1.9	1.6	2.2	6.3	5.6 56	<1	<0.5	84	<0.5	260	<0.5
SIP-ETC-201 ^a	26-DEC-07	E601	<0.5	0.55	0.59	0.3 1.1	8.5	<1 <1	<0.5 <0.5	59	<0.5 <0.5	60	<0.5
SIP-E1C-201	20-DEC-01	E001	<0.5	0.55	0.59	1.1	0.0	<1	<0.5	39	<0.5	60	<0.5
TFD-SS													
W-1523	16-JAN-08	E601	5.2	3.7	0.61	2.1	15	<1	1.6	28	<0.5	170	<0.5
W-1601	16-JAN-08	E601	4	3.3	1.7	6.4	26	1.3	1.2	100	<0.5	270	<0.5
W-1602	16-JAN-08	E601	<0.5	0.9	<0.5	<0.5	0.6	<1	<0.5	1	<0.5	11	4
W-1603	16-JAN-08	E601	1.4	1.7	1.1	4	14	1.1	<0.5	30	<0.5	160	6.9
TFD-W													
W-1215	29-JAN-08	E601	< 0.5	6	< 0.5	< 0.5	< 0.5	<1	< 0.5	< 0.5	< 0.5	5.5	33
W-1216	29-JAN-08	E601	<0.5	4	<0.5	< 0.5	<0.5	<1	<0.5	< 0.5	< 0.5	5.7	70
W-1902	29-JAN-08	E601	0.69	3	<0.5	<0.5	<0.5	<1	0.63	<0.5	<0.5	7.9	110
TFE-E													
W-566	28-JAN-08	E601	0.64	6.9	<0.5	<0.5	3.1	<1	9.3	4.2	<0.5	55	<0.5
W-1109	28-JAN-08	E601	< 0.5	0.52	<0.5	<0.5	39	<1	7.7	73	<0.5	200	<0.5

Table A-2. VOC analyses of samples from treatment facility extraction wells.

Extraction Well	Date Sampled	Analytic Method	CCI ₄	CHCI ₃	1,1-DCA	1,2-DCA		1,2-DCE	Freon 113	PCE	1,1,1-TCA	TCE	Freon 1
			<-	-	-	-	ug/L (ppb)	-	-	-	-	-	->
TFE-E (cont.)													
W-1903 ^a	30-JUL-07	E601	< 0.5	< 0.5	< 0.5	< 0.5	23	<1	11	21	< 0.5	36	< 0.5
W-1909 ^a	30-JUL-07	E601	< 0.5	< 0.5	< 0.5	< 0.5	35	<1	10	48	< 0.5	58	< 0.5
W-2305 ^a	30-JUL-07	E601	<0.5	1.1	1.5	<0.5	99	<1	21	170	<0.5	380	<0.5
TFE-HS													
W-2012	28-JAN-08	E601	2	1.9	< 0.5	< 0.5	7.6	2.7	5.5	11	< 0.5	250	<0.5
W-2105	28-JAN-08	E601	<0.5	0.94	<0.5	<0.5	1.6	<1	2.7	9.8	<0.5	260	<0.5
TFE-NW													
W-1211	29-JAN-08	E601	< 0.5	1.3	< 0.5	< 0.5	< 0.5	<1	0.98	< 0.5	< 0.5	11	<0.5
W-1409	29-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	0.8	<1	<0.5	1.3	<0.5	22	<0.5
TFE-SE													
W-359	09-JAN-08	E601	4.1	0.69	<0.5	<0.5	10	<1	9.3	8.7	<0.5	100	0.91
TFE-SW													
W-1518	09-JAN-08	E601	< 0.5	0.62	< 0.5	< 0.5	2.1	2.9	1.4	1.2	< 0.5	19	< 0.5
W-1520	09-JAN-08	E601	7.4	5.2	< 0.5	1.3	1.7	2.3	< 0.5	5.2	< 0.5	130	< 0.5
W-1522	09-JAN-08	E601	8.4	4.3	0.6	0.81	6.4	7.8	0.92	5.5	<0.5	170	<0.5
TFE-W													
W-292	09-JAN-08	E601	< 0.5	0.8	< 0.5	< 0.5	1.2	3.3	2.1	1.3	< 0.5	23	< 0.5
W-305	09-JAN-08	E601	<0.5	1.1	<0.5	<0.5	3.9	<1	31	9.4	<0.5	39	1.1
TFG-1													
W-1111	29-JAN-08	E601	3	10	<0.5	<0.5	1.3	<1	<0.5	1.6	<0.5	4	<0.5
TFG-N													
W-1806	29-JAN-08	E601	< 0.5	1.6	< 0.5	< 0.5	<0.5	<1	< 0.5	13	< 0.5	2.6	< 0.5
W-1807	29-JAN-08	E601	<0.5	1.7	<0.5	<0.5	1.4	<1	1.5	17	<0.5	5.3	<0.5
TF406													
W-1309	29-JAN-08	E601	< 0.5	< 0.5	< 0.5	< 0.5	<0.5	<1	<0.5	< 0.5	< 0.5	1.2	<0.5
W-1310	29-JAN-08	E601	< 0.5	0.86	< 0.5	< 0.5	<0.5	<1	<0.5	< 0.5	< 0.5	7.2	<0.5
GSW-445	29-JAN-08	E601	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	2	<0.5
TF406-NW													
W-1801	28-JAN-08	E601	< 0.5	2.1	< 0.5	< 0.5	< 0.5	<1	6.7	0.7	< 0.5	27	< 0.5

Table A-2. VOC analyses of samples from treatment facility extraction wells.

Extraction	Date	Analytic	661	CHC	4.4.004	4.2.004	4.4.005	4 2 DCE	Frank 442	DOE	444 TCA	TOF	
Well	Sampled	Method	CCI ₄ <-	CHCI ₃	1,1-DCA -	1,2-DCA -	1,1-DCE ug/L (ppb)		Freon 113 -	PCE -	1,1,1-TCA -	TCE -	Freon 11 ->
TF518-N													
W-1410	23-JAN-08	E601	2.8	1.5	<0.5	<0.5	<0.5	<1	<0.5	0.83	<0.5	18	<0.5
TF518-PZ													
W-1615	07-FEB-08	E601	0.58	0.84	<0.5	< 0.5	3	<1	< 0.5	42	< 0.5	130	< 0.5
W-518-1913	07-FEB-08	E601	< 0.5	< 0.5	<0.5	< 0.5	7.5	<1	< 0.5	18	< 0.5	34	< 0.5
W-518-1914	07-FEB-08	E601	< 0.5	< 0.5	<0.5	< 0.5	< 0.5	<1	< 0.5	20	< 0.5	5.6	<0.5
W-518-1915 ^b	07-FEB-08	E601	<25	<25	<25	<25	180	<50	<25	1500	<25	12000	<25
SVB-518-201	07-FEB-08	E601	< 0.5	< 0.5	<0.5	< 0.5	< 0.5	<1	< 0.5	35	< 0.5	8.5	< 0.5
SVB-518-204	07-FEB-08	E601	<0.5	0.63	<0.5	<0.5	1.4	<1	<0.5	43	<0.5	550	<0.5
TF5475-1 ^c													
W-1302-2 ^a	18-JUL-07	E601	1.8	19	0.73	3.4	20	<1	7.4	41	<0.5	260	<0.5
TF5475-2													
W-1108	16-JAN-08	E601	2	39	0.79	3.1	18	<1	5.9	45	< 0.5	440	< 0.5
W-1415	16-JAN-08	E601	0.71	3.9	<0.5	<0.5	8.4	<1	2.1	9.8	<0.5	76	<0.5
TF5475-3 ^c													
W-1604 ^a	21-AUG-07	E601	2.9	29	0.94	5.2	23	<1	17	45	<0.5	390	< 0.5
W-1605 ^a	21-AUG-07	E601	1.3	13	<0.5	5.7	7.2	1.2	4	21	<0.5	210	<0.5
W-1608 ^a	21-AUG-07	E601	<0.5	9.5	0.71	3.2	2.1	3.2	1.8	7.1	<0.5	69	<0.5
W-1609 ^a	21-AUG-07	E601	<0.5	13	0.55	9.4	2.7	<1	0.94	7.9	<0.5	62	<0.5

Notes on following page.

Table A-2. VOC analyses of samples from treatment facility extraction wells.

Extraction	Date	Analytic											
Well	Sampled	Method									1,1,1-TCA		
			<-	-	-	-	ug/L (ppb)	-	-	-	-	-	->

^aMost recent VOC sample results available.

^bElevated detection limit due to dilution.

^cTreatment Facility did not operate during reporting period. Please refer to Table A-1 for details

Notes:

CCl₄ = Carbon tetrachloride

 $CHCl_3 = Chloroform$

1,1-DCA = 1,1-Dichloroethane

1,2-DCA = 1,2-Dichloroethane

1,1-DCE = 1,1-Dichloroethene

1,2-DCE = 1,2-Dichloroethene (total)

Freon 113 = Freon 113

PCE = Tetrachloroethene

1,1,1-TCA = 1,1,1-Trichloroethane

TCE = Trichloroethene

Freon 11 = Trichlorofluoromethane

VOC = volatile organic compound

Numbers in **BOLD** print indicate positive values above the detection limit.

Table A-3. VOC analyses of vapor samples from treatment facility extraction wells.

Extraction Well	Date Sampled	Analytic Method	CCI ₄	CHCI ₃	1,1-DCA	1,2-DCA	1,1-DCE	1,2-DCE	Freon 113	PCE	1,1,1-TCA	TCE	Freon 11
			<-	•	•	•	PPM(V/V)	•		-	-	-	->
VTFD-ETÇS ^a													
W-1904 ^b	26-JUN-07	TO15DI	< 0.02	< 0.02	< 0.02	< 0.02	0.12	< 0.02	< 0.02	2.2	< 0.02	0.64	< 0.02
W-ETC-2003 ^b	12-JUL-07	TO15DI	<0.008	<0.008	<0.008	<0.008	0.022	<0.008	<0.008	1.1	<0.008	0.26	<0.008
W-ETC-2004Ab	12-JUL-07	TO15DI	<0.01	<0.01	<0.01	<0.01	0.021	< 0.01	<0.01	1.6	<0.01	0.5	<0.01
W-ETC-2004Bb	12-JUL-07	TO15DI	< 0.02	< 0.02	< 0.02	< 0.02	0.18	< 0.02	< 0.02	3.3	< 0.02	1.7	<0.02
SIP-ETC-201 ^b	12-JUL-07	TO15DI	<0.01	<0.01	0.023	<0.01	0.054	<0.01	<0.01	1.6	<0.01	8.0	<0.01
VTFD-HPD ^c													
W-1552 ^b	13-FEB-07	TO15DI	<0.005	< 0.005	< 0.005	< 0.005	<0.005	<0.005	< 0.005	0.011	< 0.005	0.2	< 0.005
W-1650 ^b	03-JUL-07	TO15DI	<0.005	<0.005	<0.005	<0.005	<0.005	< 0.005	<0.005	< 0.005	<0.005	< 0.005	< 0.005
W-1651 ^b	03-JUL-07	TO15DI	< 0.005	< 0.005	<0.005	< 0.005	<0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
W-1652 ^b	03-JUL-07	TO15DI	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
W-1653 ^b	03-JUL-07	TO15DI	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
W-1654 ^b	03-JUL-07	TO15DI	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
W-1655 ^b	03-JUL-07	TO15DI	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
W-1656 ^b	03-JUL-07	TO15DI	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
W-1657 ^b	03-JUL-07	TO15DI	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
W-HPA-002B ^b	03-JUL-07	TO15DI	0.032	0.024	<0.0057	< 0.0057	0.011	<0.0057	<0.0057	0.1	<0.0057	1	<0.0057
VTFD-HS ^d													
W-653 ^b	15-FEB-07	TO15DI	< 0.005	<0.005	< 0.005	<0.005	<0.005	< 0.005	<0.005	<0.005	< 0.005	0.093	< 0.005
W-2011 ^b	15-FEB-07	TO15DI	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.033	<0.005
W-2101 ^b	15-FEB-07	TO15DI	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.061	< 0.005
W-2102 ^b	15-FEB-07	TO15DI	<0.005	< 0.005	<0.005	< 0.005	<0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.11	< 0.005
			10.000	10.000	10.000	10.000	10.000	10.000	10.000	10.000	10.000	• • • • • • • • • • • • • • • • • • • •	10.000
VTFE-ELM ^e													
W-1903 ^b	16-AUG-07	TO15DI	<0.0084	<0.0084	<0.0084	<0.0084	1.4	<0.0084	0.36	1.4	<0.0084	1.5	<0.0084
W-1909 ^b	16-JUL-07	TO15DI	<0.008	<0.008	<0.008	<0.008	1.2	<0.008	0.36	0.04	<0.008	0.19	<0.008
W-2305 ^b	16-AUG-07	TO15DI	<0.005	<0.005	<0.005	<0.005	0.014	<0.005	0.016	0.064	<0.005	0.069	< 0.005
W-543-001	05-FEB-08	TO15DI	<0.005	< 0.005	< 0.005	< 0.005	0.0096	< 0.005	<0.005	0.13	< 0.005	0.038	< 0.005
W-543-003	05-FEB-08	TO15DI	< 0.005	0.0069	< 0.005	< 0.005	0.052	< 0.005	0.012	0.11	< 0.005	0.29	< 0.005
W-543-1908	05-FEB-08	TO15DI	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.015	<0.005	0.023	<0.005
VTFE-HS													
W-ETS-2008A	30-JAN-08	TO15DI	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.031	< 0.005	0.057	< 0.005
W-ETS-2008B	05-FEB-08	TO15DI	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.015	0.14	< 0.005	0.4	< 0.005
W-ETS-2009	30-JAN-08	TO15DI	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.062	< 0.005	0.092	< 0.005
W-ETS-2010A	30-JAN-08	TO15DI	< 0.005	<0.005	< 0.005	<0.005	< 0.005	< 0.005	< 0.005	0.046	<0.005	0.096	< 0.005
W-ETS-2010B	30-JAN-08	TO15DI	< 0.005	<0.005	< 0.005	< 0.005	0.021	0.0054	0.058	0.37	<0.005	1	<0.005
W-2105	30-JAN-08	TO15DI	<0.005	<0.005	<0.005	<0.005	0.014	<0.005	0.01	0.022	<0.005	0.13	<0.005

Table A-3. VOC analyses of vapor samples from treatment facility extraction wells.

Extraction Well	Date Sampled	Analytic Method	CCI ₄	CHCI ₃	1,1-DCA -	1,2-DCA -	1,1-DCE PPM(V/V)	1,2-DCE -	Freon 113	PCE -	1,1,1-TCA -	TCE -	Freon 11
VTF406-HS													
W-217	03-JAN-08	TO15DI	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.013	< 0.005	0.0096	< 0.005
W-514-2007A	03-JAN-08	TO15DI	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.0066	<0.005	0.0089	< 0.005
W-514-2007B	03-JAN-08	TO15DI	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.014	< 0.005	0.02	<0.005
VTF511													
W-274 ^b	04-OCT-06	TO15DI	0.14	0.02	< 0.0062	< 0.0062	0.07	< 0.0062	0.014	0.33	< 0.0062	6.1	0.38
W-1517 ^b	20-DEC-07	TO15DI	0.0066	< 0.005	< 0.005	< 0.005	0.0068	< 0.005	< 0.005	0.022	< 0.005	0.65	0.016
W-2204 ^b	01-AUG-07	TO15DI	0.089	0.069	< 0.02	0.091	0.039	< 0.02	< 0.02	0.26	< 0.02	3.4	< 0.02
W-2206 ^b	01-AUG-07	TO15DI	0.024	0.057	< 0.02	0.25	< 0.02	< 0.02	< 0.02	0.27	< 0.02	2.9	< 0.02
W-2207A	26-FEB-08	TO15DI	< 0.005	< 0.005	< 0.005	< 0.005	0.0066	< 0.005	< 0.005	0.0064	< 0.005	1.9	< 0.005
W-2207B	26-FEB-08	TO15DI	0.023	0.038	< 0.02	< 0.02	0.044	< 0.02	< 0.02	0.03	< 0.02	15	< 0.02
W-2208A	26-FEB-08	TO15DI	0.18	0.047	< 0.02	< 0.02	0.37	< 0.02	0.032	0.11	< 0.02	15	0.75
W-2208B	26-FEB-08	TO15DI	1.3	< 0.25	0.3	< 0.25	9	< 0.25	0.48	2	< 0.25	100	0.27
W-2205 ^b	01-AUG-07	TO15DI	0.087	0.14	<0.031	0.035	0.056	<0.031	<0.031	0.19	<0.031	5.5	<0.031
VTF518-PZ ^f													
W-1615	15-JAN-08	TO15DI	0.1	< 0.025	< 0.025	<0.025	0.96	< 0.025	0.96	8.7	< 0.025	17	< 0.025
W-518-1913	15-JAN-08	TO15DI	0.012	0.006	0.007	< 0.005	1.7	< 0.005	0.063	2	< 0.005	4.5	< 0.005
W-518-1914	15-JAN-08	TO15DI	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.98	< 0.005	0.28	< 0.005
W-518-1915	15-JAN-08	TO15DI	< 0.0066	<0.0066	< 0.0066	<0.0066	0.29	< 0.0066	0.01	1.6	<0.0066	5.9	< 0.0066
SVB-518-201	15-JAN-08	TO15DI	< 0.005	< 0.005	< 0.005	< 0.005	0.016	< 0.005	< 0.005	3.9	< 0.005	0.34	< 0.005
SVB-518-204	15-JAN-08	TO15DI	<0.02	<0.02	< 0.02	< 0.02	0.051	< 0.02	< 0.02	2.4	<0.02	15	<0.02
VTF5475 ^g													
W-ETS-507 ^b	06-SEP-07	TO15DI	< 0.005	0.85	<0.005	0.62	< 0.005	< 0.005	< 0.005	0.15	< 0.005	0.67	< 0.005
W-1605 ^b	06-SEP-07	TO15DI	0.0069	0.17	<0.005	0.15	0.11	<0.005	0.036	0.1	< 0.005	0.85	<0.005
W-1608 ^b	06-SEP-07	TO15DI	< 0.005	< 0.005	<0.005	< 0.005	<0.005	<0.005	< 0.005	<0.005	<0.005	0.0061	<0.005
W-2211 ^b	12-OCT-07	TO15DI	<0.005	0.49	0.012	0.15	0.14	< 0.005	0.01	0.11	< 0.005	1.2	< 0.005
W-2212 ^b	12-OCT-07	TO15DI	0.056	0.75	0.024	0.039	1.1	< 0.005	0.16	0.66	< 0.005	3.8	< 0.005
W-2302 ^b	05-OCT-07	TO15DI	0.032	0.47	0.022	< 0.017	0.73	< 0.017	0.063	0.86	< 0.017	11	< 0.017
W-2303 ^b	05-OCT-07	TO15DI	0.009	0.88	0.038	0.083	0.4	< 0.005	0.0088	0.36	< 0.005	3.7	< 0.005
SVI-ETS-504 ^b	12-OCT-07	TO15DI	< 0.005	0.32	0.0052	0.14	0.073	< 0.005	< 0.005	0.064	< 0.005	0.34	< 0.005

Notes on following page.

Table A-3. VOC analyses of influent and effluent samples by treatment facility.

Notes:

 CCl_4 = Carbon tetrachloride

 $CHCl_3 = Chloroform$

1,1-DCA = 1,1-Dichloroethane

1,2-DCA = 1,2-Dichloroethane

1,1-DCE = 1,1-Dichloroethylene

1,2-DCE = 1,2-Dichloroethylene

Freon 113 = Trichlorotrifluoroethane

PCE = Tetrachloroethylene

1,1,1-TCA = 1,1,1-Trichloroethane

TCE = Trichloroethene

Freon 11 = Trichlorofluoromethane

VOC = volatile organic compound

NA = not analyzed

Numbers in **BOLD** print indicate positive values above the detection limit.

Rows that are shaded indicate results were out of compliance.

a VTFD-ETCS did not operate during January and February due to liquid ring blower failure and then subsequently was shut down in March due to the budget reduction.

^b Most recent VOC vapor sample results available.

c VTFD-HPD did not operate in January and February in preparation for the bioremediation pilot test and then subsequently was shut down due to the budget reduction.

d VTFD-HS did not operate during January and February due to liquid ring blower failure and then subsequently was shut down due to the budget reduction.

e VTFE-ELM did not operate during February due to blower motor failure and then subsequently was shut down due to the budget reduction.

f VTF518-PZ did not operate during the month of March due to the budget reduction.

⁹ VTF5475 did not operate during January and February due to mixed waste issues and then subsequently was shut down due to the budget reduction.

Table A-4. Chromium analyses of influent, effluent and receiving water samples by treatment facility.

Treatment	Sample	Date	Chromium (total) ^a	Hexavalent Chromium
Facility	Station	Sampled	mg/L (ppm)	mg/L (ppm)
TFA	TFA-I001	15-JAN-08	0.012	0.014
	TFA-E001	15-JAN-08	0.012	0.013
TFA-E	W-254	15-JAN-08	0.0097	NA 0.0020
	STU06-E	15-JAN-08	0.0057	0.0039
TFA-W	TFA-W-E	14-JAN-08	0.016	NA
TFB	TFB-I002	09-JAN-08	0.022	NA
	TFB-E002	09-JAN-08	0.015	0.015
	TFB-E002	10-MAR-08	0.015	NA
	TFB-R002	09-JAN-08	0.016	NA
TFC	TFC-I003	07-JAN-08	0.024	NA
•	TFC-E003	07-JAN-08	0.015	0.014
	TFC-E003	04-FEB-08	0.016	NA
	TFC-E003	05-MAR-08	0.017	NA
	TFC-R003	07-JAN-08	0.015	NA
TFC-E	MTU1-I	08-JAN-08	0.042	NA
	MTU1-E	08-JAN-08	0.0091	0.0078
	MTU1-E	11-FEB-08	0.011	NA
TFC-SE	PTU1-I	08-JAN-08	0.033	NA
0 02	PTU1-E	08-JAN-08	0.0059	<0.005
	PTU1-E	04-FEB-08	0.011	NA
	PTU1-E	05-MAR-08	0.0073	NA
			0.00.0	
TFD	TFD-I004	16-JAN-08	0.012	NA
	TFD-E004	16-JAN-08	0.011	0.011
TED E	DTUO	40 1411 00	0.0070	NIA
TFD-E	PTU8-I	16-JAN-08	0.0072	NA 0.0064
	PTU8-E	16-JAN-08	0.0063	0.0064
TFD-S	PTU2-I	15-JAN-08	0.012	NA
	PTU2-E	15-JAN-08	0.01	0.011
TFD-SE	PTU11-I	07-JAN-08	0.012	NA
	PTU11-E	07-JAN-08	0.011	0.01
TFD-SS	PTU12-I	16-JAN-08	0.012	NA
1170-33	PTU12-F	16-JAN-08	0.012	0.011
	1 1012-L	10-5/11-00	0.01	0.011
TFD-W	PTU6-I	29-JAN-08	0.014	NA
	PTU6-E	29-JAN-08	0.011	0.013
TFE-E	PTU3-I	28-JAN-08	0.011	NA
	PTU3-E	28-JAN-08	0.0089	0.011
TFE-HS	GTU07-I	28-JAN-08	0.0079	NA
	GTU07-E	28-JAN-08	<0.005	<0.002
TFE-NW	PTU9-I	29-JAN-08	0.011	NA
	PTU9-E	29-JAN-08	0.0089	0.011
TFE-SE	MTU04-I	09-JAN-08	0.0093	NA
	MTU04-E	09-JAN-08	0.008	0.0092

Table A-4. Chromium analyses of influent, effluent and receiving water samples by treatment facility.

Treatment Facility	Sample Station	Date Sampled	Chromium (total) ^a mg/L (ppm)	Hexavalent Chromium mg/L (ppm)
TFE-SW	MTU03-I	09-JAN-08	0.0054	NA
	MTU03-E	09-JAN-08	0.0069	0.0051
TFE-W	MTU05-I	09-JAN-08	0.011	NA
	MTU05-E	09-JAN-08	0.009	0.01
TFG-1	GTU01-I	29-JAN-08	0.0073	NA
	GTU01-E	29-JAN-08	0.0056	0.0042
	TFG-ASW	29-JAN-08	0.013	NA
TFG-N	MTU02-I	29-JAN-08	0.0095	NA
	MTU02-E	29-JAN-08	0.0085	0.01
TF406	PTU5-I	29-JAN-08	0.013	NA
	PTU5-E	29-JAN-08	0.011	0.013
TF406-NW	GTU03-I	28-JAN-08	0.0018	NA
	GTU03-E	28-JAN-08	<0.005	<0.002
TF518-N	W-1410	23-JAN-08	0.0054	NA
	STU09-E	23-JAN-08	<0.005	<0.002
TF5475-2	GTU09-I	16-JAN-08	0.016	NA
	GTU09-E	16-JAN-08	0.011	0.012

^aA discharge limit of 0.050 ppm is set for total chromium during the dry season (April 1-November 30), and no limit is set for total chromium for the wet season (December 1-March 31); however, a limit of 0.022 ppm hexavalent chromium applies during the wet season. Discharge limits are defined in the Explanation of Significant Differences for metals discharge limits (April 1997).

Shaded values exceeded the discharge limit.

Table A-5. Bioassay, turbidity, and chloride analyses of influent and effluent samples by treatment facility.

Treatment Facility	Sample Station	Date Sampled	Aquatic Bioassay ^a Percent Survival	Turbidity Nephelometric Turbidity Units (NTU)	Chloride (mg/L)
TFA	TFA-I001	15-JAN-08	NA	NA	76
TFA	TFA-E001	15-JAN-08	100 (100)	0.11	76
TFA-E	STU06-E	15-JAN-08	100 (100)	<0.1	54
TFB	TFB-E002	09-JAN-08	100 (100)	<0.1	79
TFC	TFC-E003	07-JAN-08	100 (100)	<0.1	120
TFC-E	MTU1-E	08-JAN-08	100 (100)	0.16	120
TFC-SE	PTU1-E	08-JAN-08	100 (100)	0.15	76
TFD	TFD-E004	16-JAN-08	100 (100)	0.16	290
TFD-E	PTU8-E	16-JAN-08	100 (100)	0.31	330
TFD-S	PTU2-E	15-JAN-08	100 (100)	<0.1	67
TFD-SE	PTU11-E	07-JAN-08	100 (100)	<0.1	180
TFD-SS	PTU12-E	16-JAN-08	100 (100)	0.11	140
TFD-W	PTU6-E	29-JAN-08	100 (100)	<0.1	170
TFE-E	PTU3-E	28-JAN-08	100 (100)	0.1	100
TFE-HS	GTU07-E	28-JAN-08	100 (100)	0.12	55
TFE-NW	PTU9-E	29-JAN-08	100 (100)	<0.1	90
TFE-SE	MTU04-E	09-JAN-08	100 (100)	0.17	81
TFE-SW	MTU03-E	09-JAN-08	100 (100)	0.3	59
TFE-W	MTU05-E	09-JAN-08	100 (100)	0.21	57
TFG-1	GTU01-E	29-JAN-08	100 (100)	0.16	34
TFG-N	MTU02-E	29-JAN-08	100 (100)	0.16	16
TF406	PTU5-E	29-JAN-08	100 (100)	0.11	65
TF406-NW	GTU03-E	28-JAN-08	100 (100)	0.11	46
TF518-N	STU09-E	23-JAN-08	100 (100)	<0.1	53
TF5475-2	GTU09-E	16-JAN-08	100 (100)	0.17	91

^aTest species was Fathead minnow and the test duration was 96 hours.

Percent survival in the control group samples shown in parentheses.

Note: NA = not applicable

Table A-6. Metals analyses of influent and effluent samples by treatment facility as compared to the instantaneous Maximum.

		Antimony <-	Arsenic	Beryllium -	Boron -	Cadmium -	Copper -	Cyanide mg/L (ppm)	Iron -	Lead -	Manganese -	Mercury -	Nickel -	Selenium -	Silver -	Thallium -	Zinc ->
Wet Season (Decem	nber 1 - March 3	NA	0.01	NA	NA	0.002	0.0236	NA	NA	0.006	NA	0.002	0.3	0.01	0.1	NA	0.220
Sample Station	Date Sampled																
TFA TFA-I001 TFA-E001	15-JAN-08 15-JAN-08	<0.005 <0.005	<0.005 <0.005	<0.0002 <0.0002	0.73 0.74	<0.001 <0.001	<0.005 <0.005	NA NA	<0.05 <0.05	<0.005 <0.005	<0.01 <0.01	<0.0002 <0.0002	<0.005 <0.005	<0.005 <0.005	<0.005 <0.005	<0.001 <0.001	<0.01 <0.01
TFA-E STU06-E	15-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFA-W TFA-W-E	14-JAN-08	NA	<0.002	NA	NA	<0.005	<0.01	NA	NA	<0.002	NA	<0.0002	<0.005	NA	<0.01	NA	<0.05
TFB TFB-E002	09-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFC TFC-E003	07-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFC-E MTU1-E	08-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFC-SE PTU1-E	08-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	0.0056	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFD TFD-E004	16-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFD-E PTU8-E	16-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFD-S PTU2-E	15-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFD-SE PTU11-E	07-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFD-SS PTU12-E	16-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFD-W PTU6-E	29-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFE-E PTU3-E	28-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFE-HS GTU07-E	28-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01

Table A-6. Metals analyses of influent and effluent samples by treatment facility as compared to the instantaneous Maximum.

		Antimony	Arsenic	Beryllium	Boron	Cadmium	Copper	Cyanide	Iron	Lead	Manganese	Mercury	Nickel	Selenium	Silver	Thallium	Zinc
	a	<-	-	-	-	-	-	mg/L (ppm)	-	-	-	-	-	-	-	-	->
Wet Season (Decer	mber 1 - March	NA 31)	0.01	NA	NA	0.002	0.0236	NA	NA	0.006	NA	0.002	0.3	0.01	0.1	NA	0.220
Sample Station	Date Sampled																
TFE-NW PTU9-E	29-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFE-SE MTU04-E	09-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFE-SW MTU03-E	09-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFE-W MTU05-E	09-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFG-1 GTU01-E	29-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TFG-N MTU02-E	29-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TF406 PTU5-E	29-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TF406-NW GTU03-E	28-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01
TF518-N STU09-E	23-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	0.29
TF5475-2 GTU09-E	16-JAN-08	<0.005	<0.005	<0.005	NA	<0.001	<0.005	NA	NA	<0.005	NA	<0.0002	<0.005	<0.005	<0.005	<0.001	<0.01

^aThe Explanation of Significant Differences for metals discharge identifies the Instantaneous Maximum concentrations for the wet season (December 1 - March 30).

Shaded values exceeded the discharge limit.

NA = not applicable

Numbers in **BOLD** print indicate positive values above the detection limit.

Table A-7. Radiological analyses of effluent and receiving waters by treatment facility.

Treatment Facility	Sample Station	Date Sampled	Gross Alpha <-	Gross Beta pCi/L	Tritium ->
TFA	TFA-E001	15-JAN-08	4.44	<3	<100
TFA-E	STU06-E	15-JAN-08	4.51	<3	<100
TFB	TFB-E002	09-JAN-08	5.43	<3	<100
TFB	TFB-R002	09-JAN-08	3.09	<3	102
TFC	TFC-E003	07-JAN-08	<2	<3	137
TFC	TFC-R003	07-JAN-08	3.25	<3	186
TFC-E	MTU1-E	08-JAN-08	<2	<3	327
TFC-SE	PTU1-E	08-JAN-08	<2	<3	247
TFD	TFD-E004	16-JAN-08	7.47	<3	<100
TFD-E	PTU8-E	16-JAN-08	8.76	<3	<100
TFD-S	PTU2-E	15-JAN-08	3.62	<3	<100
TFD-SE	PTU11-E	07-JAN-08	3.53	<3	349
TFD-SS	PTU12-E	16-JAN-08	6.18	3.02	180
TFD-W	PTU6-E	29-JAN-08	7.52	<3	149
TFE-E	PTU3-E	28-JAN-08	<2	<3	123
TFE-HS	GTU07-E	28-JAN-08	2.34	<3	<100
TFE-NW	PTU9-E	29-JAN-08	4.59	<3	<100
TFE-SE	MTU04-E	09-JAN-08	<2	<3	<100
TFE-SW	MTU03-I	09-JAN-08	NA	NA	1750
TFE-SW	MTU03-E	09-JAN-08	4.02	3.15	1950
TFE-W	MTU05-E	09-JAN-08	6.01	<3	126
TFG-1	GTU01-E	29-JAN-08	2.34	<3	224
TFG-1	TFG-ASW	29-JAN-08	3.25	3.14	<100
TFG-N	MTU02-E	29-JAN-08	<2	<3	139
TF406	PTU5-E	29-JAN-08	<2	<3	<100
TF406-NW	GTU03-E	28-JAN-08	4.71	<3	102
TF518-N	W-1410	24-JAN-08	NA	NA	989
	W-1410	30-JAN-08	NA	NA	3370
	W-1410	05-FEB-08	NA	NA	4110
	W-1410	12-FEB-08	NA	NA	4020
TF518-N	STU09-I	20-FEB-08	NA	NA	3990
TF518-N	STU09-E	23-JAN-08	<2	3.52	NA
	STU09-E	24-JAN-08	NA	NA	1050
	STU09-E	30-JAN-08	NA	NA	3460
	STU09-E	05-FEB-08	NA	NA	4200
	STU09-E	12-FEB-08	NA	NA	4120
TF5475-2	GTU09-E	16-JAN-08	<2	<3	664

Numbers in BOLD print indicate positive values above the detection limit.

Explanation of Abbreviations

TFA-I001 is a sampling port located immediately prior to the TFA Treatment System.

TFA-E001 is a sampling port located immediately after the TFA Treatment System, at the beginning of the discharge pipeline.

TFA receiving water is routinely sampled at the TFG-ASW location.

TFA-W-I is an influent sampling port prior to the sediment bag filter immediately following W-404.

TFA-W-E is an effluent sampling port immediately following the sediment bag filter; the water is then discharged to the Livermore Water Reclamation Plant (LWRP).

TFB-I002 is a sampling port located immediately prior to the TFB Treatment System.

TFB-E002 is a sampling port located immediately after the TFB Treatment System, at the beginning of the discharge pipeline.

TFB-R002 is a sampling station in the drainage ditch north of TFB, located approximately 75 ft downstream from the discharge point.

TFC-I003 is a sampling port located immediately prior to the TFC Treatment System.

TFC-E003 is a sampling port located immediately after the TFC Treatment System, at the beginning of the discharge pipeline.

TFC-R003 is a sampling station in Arroyo Las Positas, located approximately 75 ft downstream from the TFC discharge point.

TFD-I004 is a sampling port located immediately prior to the TFD Treatment System.

TFD-E004 is a sampling port located immediately after the TFD Treatment System, prior to discharge to the Drainage Retention Basin or to the underground discharge pipeline leading to Arroyo Las Positas.

TFD-R004 is now combined with and collected at the TFC-R003 location. Results are reported under TFC-R003, as approved by the RWQCB.

CRD1-I is a sampling port located immediately prior to the catalytic column in the Catalytic Reductive Dehalogenation treatment unit 1 (CRD1).

CRD1-E is the effluent from the catalytic column in the Catalytic Reductive Dehalogenation treatment unit 1 (CRD1) and then reinjected at W-1302.

CRD2-I is a sampling port located immediately prior to the catalytic columns in the Catalytic Reductive Dehalogenation treatment unit 2 (CRD2).

CRD2-E is the effluent from the last catalytic column in the Catalytic Reductive Dehalogenation treatment unit 2 (CRD2) and then reinjected at W-1610.

GTU01-I is a sampling port located immediately prior to GTU01, which is currently operating in the TFG-1 area.

GTU01-E is a sampling port located immediately after GTU01, which is currently operating in the TFG-1 area.

GTU01 receiving water is routinely sampled at the TFG-ASW location.

GTU03-I is a sampling port located immediately prior to GTU03, which is currently operating in the TF406 Northwest area.

GTU03-E is a sampling port located immediately after GTU03, which is currently operating in the TF406 Northwest area.

GTU03 receiving water is routinely sampled at the TFC-R003 location.

GTU07-I is a sampling port located immediately prior to GTU07, which is currently operating in the TFE Hotspot area.

GTU07-E is a sampling port located immediately after GTU07, which is currently operating in the TFE Hotspot area.

GTU07 receiving water is routinely sampled at the TFC-R003 location.

GTU09-I is a sampling port located immediately prior to GTU09, which is currently operating in the TF5475 area.

GTU09-E is a sampling port located immediately after GTU09, which is currently operating in the TF5475 area.

GTU09 receiving water is routinely sampled at the TFC-R003 location.

MTU02-I is a sampling port located immediately prior to MTU02, which is currently operating in the TFG North area.

MTU02-E is a sampling port located immediately after MTU02, which is currently operating in the TFG North area.

MTU02 receiving water is routinely sampled at the TFC-R003 location.

MTU03-I is a sampling port located immediately prior to MTU03, which is currently operating in the TFE Southwest area.

MTU03-E is a sampling port located immediately after MTU03, which is currently operating in the TFE Southwest area.

MTU03 receiving water is routinely sampled at the TFC-R003 location.

MTU04-I is a sampling port located immediately prior to MTU04, which is currently operating in the TFE Southeast area.

MTU04-E is a sampling port located immediately after MTU04, which is currently operating in the TFE Southeast area.

MTU04 receiving water is routinely sampled at the TFC-R003 location.

MTU05-I is a sampling port located immediately prior to MTU05, which is currently operating in the TFE West area.

MTU05-E is a sampling port located immediately after MTU05, which is currently operating in the TFE West area.

MTU05 receiving water is routinely sampled at the TFC-R003 location.

Explanation of Abbreviations

MTU1-I is a sampling port located immediately prior to MTU1, which is currently operating in the TFC East area.

MTU1-E is a sampling port located immediately after MTU1, which is currently operating in the TFC East area.

MTU1 receiving water is routinely sampled at the TFC-R003 location.

PTU1-I is a sampling port located immediately prior to PTU-1, which is currently operating in the TFC Southeast area.

PTU1-E is a sampling port located immediately after PTU-1, which is currently operating in the TFC Southeast area.

PTU1 receiving water is routinely sampled at the TFC-R003 location.

PTU2-I is a sampling port located immediately prior to PTU-2, which is currently operating in the TFD South area.

PTU2-E is a sampling port located immediately after PTU-2, which is currently operating in the TFD South area.

PTU2 receiving water is routinely sampled at TFC-R003 during the wet season.

PTU3-I is a sampling port located immediately prior to PTU-3, which is currently operating in the TFE East area.

PTU3-E is a sampling port located immediately after PTU-3, which is currently operating in the TFE East area.

PTU3 receiving water is routinely sampled at the TFC-R003 location.

PTU5-I is a sampling port located immediately prior to PTU-5, which is currently operating in the TF406 extraction location.

PTU5-E is a sampling port located immediately after PTU-5, which is currently operating in the TF406 extraction location.

PTU5 receiving water is routinely sampled at the TFC-R003 location.

PTU6-I is a sampling port located immediately prior to PTU-6, which is currently operating in the TFD West area.

PTU6-E is a sampling port located immediately after PTU-6, which is currently operating in the TFD West area.

PTU6 receiving water is routinely sampled at the TFC-R003 location.

PTU8-I is a sampling port located immediately prior to PTU-8, which is currently operating in the TFD East area.

PTU8-E is a sampling port located immediately after PTU-8, which is currently operating in the TFD East area.

PTU8 receiving water is routinely sampled at the TFC-R003 location.

PTU9-I is a sampling port located immediately prior to PTU-9, which is currently operating in the TFE Northwest area.

PTU9-E is a sampling port located immediately after PTU-9, which is currently operating in the TFE Northwest area.

PTU9 receiving water is routinely sampled at the TFC-R003 location.

PTU10-I is a sampling port located immediately prior to PTU-10, which is currently operating in the TFD Helipad area.

PTU10-E is a sampling port located immediately after PTU-10, which is currently operating in the TFD Helipad area.

PTU10 receiving water is routinely sampled at the TFC-R003 location.

PTU11-I is a sampling port located immediately prior to PTU-11, which is currently operating in the TFD Southeast area.

PTU11-E is a sampling port located immediately after PTU-11, which is currently operating in the TFD Southeast area.

PTU11 receiving water is routinely sampled at the TFC-R003 location.

PTU12-I is a sampling port located immediately prior to PTU-12, which is currently operating in the TFD Southshore area.

PTU12-E is a sampling port located immediately after PTU-12, which is currently operating in the TFD Southshore area.

PTU12 receiving water is routinely sampled at the TFC-R003 location.

STU06-I is a sampling port located immediately prior to STU06, which is operating in the TFA East area.


STU06-E is a sampling port located immediately after STU06, which is operating in the TFA East area.

STU06 receiving water is routinely sampled at the TFG-ASW location.

STU09-I is a sampling port located immediately prior to STU09, which is currently operating in the TF518-North area.

STU09-E is a sampling port located immediately after STU09, which is currently operating in the TF518-North area.

STU09 receiving water is routinely sampled at the TFC-R003 location.



Self-Monitoring Report LLNL Treatment Facility A (TFA) AREA TFA

- 1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>
- 2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December 29 30 31 January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): <u>765</u>

3. Monthly Compliance Data:

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-408	1,048,400	27.9
W-109	613,000	0.0
W-457	600,500	11.6
W-522	1,230,700	28.6
W-602	0	0.0
W-614	534,600	11.7
W-712	332,100	7.4
W-714	282,500	6.0
W-904	1,070,900	22.7
W-415	1,661,900	36.3
W-518	403,300	9.0
W-601	0	0.0
W-603	0	0.0
W-520	0	0.0
W-605	429,200	9.9
W-262	100	0.0
W-609	0	0.0
W-903	1,024,900	28.5
W-1004	545,200	12.0
W-1009	1,075,700	23.4
W-1001	148,500	3.3
Total:	11,001,500	238.3

Self-Monitoring Report (cont'd) LLNL Treatment Facility A (TFA) AREA TFA

5. Discharge Information:

Receiving

Water Station Discharge Location Volume

5,767,100 West Perimeter Drainage Channel TFB-R002

Arroyo Seco TFG-ASW <u>5,234,400</u>

6. Comments:

Facility secured for maintenance on 1-9-08. Maintenance completed on 1-11-08 and facility restarted. W-109 started on 1-17-08 and west pipeline well flows adjusted in conjunction with securing of TFA-W facility.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Date: 01-31-2008 Operator Signature: .

Self-Monitoring Report LLNL Treatment Facility A (TFA) AREA TFA

- 1. Reporting Period: Business Month February Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 643

3. Monthly Compliance Data:

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-408	853,000	25.3
W-109	1,002,700	30.0
W-457	276,100	9.9
W-522	1,021,000	26.1
W-602	0	0.0
W-614	447,300	11.6
W-712	280,300	7.1
W-714	226,700	6.2
W-904	682,400	20.1
W-415	1,477,200	35.4
W-518	358,300	9.0
W-601	0	0.0
W-603	0	0.0
W-520	0	0.0
W-605	377,400	9.8
W-262	0	0.0
W-609	0	0.0
W-903	901,500	27.2
W-1004	455,400	11.9
W-1009	905,200	23.2
W-1001	118,100	3.6
Total:	9,382,600	256.4

5. Discharge Information:

Self-Monitoring Report (cont'd) LLNL Treatment Facility A (TFA) AREA TFA

Arroyo Seco	TFG-ASW	4,466,200
West Perimeter Drainage Channel	TFB-R002	4,916,400
Discharge Location	Receiving Water Station	Volume

6. Comments:

Facility down on 2-11-08 for interlock checks. Restarted on 2-13-08.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Oun Cawagun Co Date: 02-29-2008

Self-Monitoring Report LLNL Treatment Facility A (TFA) AREA TFA

- 1. Reporting Period: Business Month March Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 743

3. Monthly Compliance Data:

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-408	1,161,700	25.4
W-109	1,353,500	29.9
W-457	292,900	6.6
W-522	1,222,100	27.0
W-602	0	0.0
W-614	519,100	11.7
W-712	321,000	7.3
W-714	269,600	5.9
W-904	1,006,600	21.9
W-415	1,600,600	36.2
W-518	414,200	9.0
W-601	0	0.0
W-603	0	0.0
W-520	0	0.0
W-605	436,000	9.8
W-262	0	0.0
W-609	0	0.0
W-903	778,800	26.9
W-1004	526,500	11.9
W-1009	1,059,300	23.7
W-1001	167,400	3.7
	<u></u>	
Total:	11,129,300	<u>256.9</u>

5. Discharge Information:

Self-Monitoring Report (cont'd) LLNL Treatment Facility A (TFA) AREA TFA

 Discharge Location
 Receiving Water Station
 Volume

 West Perimeter Drainage Channel
 TFB-R002
 5,245,600

 Arroyo Seco
 TFG-ASW
 5,883,700

6. Comments:

W-903 down on 3-21-08 due to pump failure.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Lawagun L. Date: 03-31-2008

Self-Monitoring Report LLNL Solar Treatment Unit 06 (STU06) AREA TFA-E

1. Reporting Perio	d: Business Mon	th <u>January</u>	Year <u>2008</u>	
2. Dates (in bold and <u>underline</u>) treated ground water was discharged				
January <u>0</u>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	05 06 07 08 20 21 22 23	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{13}{28} \frac{14}{29} \frac{15}{30} \frac{31}{31}$
Total monthly	time facility ope	erated (hours): _	316	
3. Monthly Compl	iance Data:			
Date complian Influent pH: Effluent pH: Effluent Temp	nce sampling performature (°C):	formed (m/d/y):	$ \begin{array}{r} \underline{01 \text{-} 15 \text{-} 2008} \\ \underline{7.5} \\ \underline{7.5} \\ \underline{17.6} \end{array} $	
4. Wellfield Data:				
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)	
W-254	22,667	1.6		
Total:	22,667	<u>1.6</u>		
5. Discharge Infor	mation:		Receiving	
Discharge L	ocation		Water Station	<u>Volume</u>
Arroyo Se	eco		TFG-ASW	_22,667
6. Comments:				
7. I certify that the Operator Signature		his report, to the l	pest of my knowled Date: 01	ge, is true and correct.

Self-Monitoring Report LLNL Solar Treatment Unit 06 (STU06) AREA TFA-E

1. Reporting Per	iod: Business Mor	th <u>February</u>	Year <u>2008</u>				
2. Dates (in bold and <u>underline</u>) treated ground water was discharged							
February			3 09 10 11 12 13 14 15 4 24 25 26 27 28 29				
Total month	ly time facility ope	erated (hours):	363				
3. Monthly Com	pliance Data:						
Date compliance sampling performed (m/d/y): Influent pH: Effluent pH: Effluent Temperature (°C): 02-04-2008 7.0 7.0 12.4							
4. Wellfield Data	n:						
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)	<u>n</u>				
W-254	36,417	1.7					
Total:	36,417	<u>1.7</u>					
5. Comments:							
6. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature:							

Self-Monitoring Report LLNL Solar Treatment Unit 06 (STU06) AREA TFA-E

1. Reporting Period	: Business Mont	th <u>March</u>	Year <u>2008</u>				
2. Dates (in bold a	nd <u>underline</u>) t	treated ground	water was discharg	ed			
			$\frac{08}{23} \frac{09}{24} \frac{10}{25} \frac{11}{26} \frac{12}{25}$	$\frac{2}{7} \frac{13}{28} \frac{14}{29} \frac{15}{30} \frac{1}{31}$			
Total monthly time facility operated (hours): 471							
3. Monthly Complia	ance Data:						
Date compliance sampling performed (m/d/y): Influent pH: Effluent pH: Effluent Temperature (°C): 03-05-2008 7.0 7.5 20.2							
4. Wellfield Data:							
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gp					
W-254	44,967	1.7	ä				
Total:	44,967	1.7	······································				
5. Discharge Inform	nation:		Danish				
Discharge Lo	cation		Receiving Water Station	Volume			
Arroyo Sec	<u>:0</u>		TFG-ASW	44,967			
6. Comments:							
7. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature: Date: 03-31-2008							

Self-Monitoring Report LLNL LWRP (LWRP) AREA TFA-W

1. Reporting Period: Business Month January Year 2008 2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged December 29 30 31 $\overline{01}$ $\overline{02}$ $\overline{03}$ $\overline{04}$ 05 06 $\underline{07}$ $\underline{08}$ $\underline{09}$ $\underline{10}$ $\underline{11}$ $\underline{12}$ $\underline{13}$ $\underline{14}$ 15 January 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 Total monthly time facility operated (hours): 333 3. Monthly Compliance Data: Date compliance sampling performed (m/d/y): 01-14-2008 Influent pH: Effluent pH: Effluent Temperature (°C): 4. Wellfield Data: Monthly Instantaneous Source Volume(gal) Flow Rate(gpm) W-404 660,685 31.1 Total: 660,685 31.1 5. Discharge Information: Receiving Discharge Location Water Station Volume LWRP @ 5513Z Charlotte Way TFA-W-E 660,685 6. Comments: Operations suspended on 1/14/08. 7. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature: // Date: 02-11-2008

Self-Monitoring Report LLNL LWRP (LWRP) AREA TFA-W

1. Reporting Per	1. Reporting Period: Business Month <u>February</u> Year <u>2008</u>														
2. Dates (in bol	2. Dates (in bold and <u>underline</u>) treated ground water was discharged														
February	01 16	02 17		04 19	05 20	06 21	07 22	08 23			11 26	12 27	13 28	14 29	15
Total monthly time facility operated (hours): _0															
3. Monthly Com	ıpliaı	nce I	Data:												
Date compliance sampling performed (m/d/y): Influent pH: Effluent pH: Effluent Temperature (°C): 02-14-2008 7.0 7.0 18															
4. Wellfield Date	a:														
Source		Mon Volu	•	gal)			aneo late(g		<u>!</u>						
W-404			3	300			33.0	0							
Total:	•		3	<u>300</u>			33.0	<u>0</u>							
5. Discharge Info	orma	tion:	:						ъ.						
Discharge	Loc	ation	<u>l</u>							ceivin ter S	~	<u>n</u>	7	Volu	<u>me</u>
LWRP @ 5513Z Charlotte Way TFA-W-E 300						<u>300</u>									
6. Comments: Operations were suspended on 1/14/08. The pump in well W-404 is turned on only for very limited durations for routine sampling.															
7. I certify that the information in this report, to the best of my knowledge, is true and correct															
Operator Signature: Date: 03-05-2008															

Self-Monitoring Report LLNL LWRP (LWRP) AREA TFA-W

1. Reporting Perio	od: Busi	ness Moi	nth _ M	arch	Y	ear <u>2</u>	<u>008</u>						
2. Dates (in bold	and un	derline)	treated g	groun	d wa	iter v	vas d	isch	argeo	i			
	01 02 16 17	03 04 18 19	05 06 20 21	07 22		09 24	10 25		12 27	13 28	14 29	15 30	31
Total monthly	y time fa	cility op	erated (h	ours):	:!	<u>0</u>							
3. Monthly Comp	liance D	ata:											
Date compliance sampling performed (m/d/y): Influent pH: Effluent pH: Effluent Temperature (°C): 4. Wellfield Data:													
	Mont	-	Instanta										
Source	<u>Volu</u>	me(gal)	Flow R	ate(g	pm)								
W-404		398		33.5	5								
Total:		<u>398</u>		33.5		***************************************							
5. Discharge Infor	rmation:					D	_::.						
Discharge I	ocation						eivir ter S	_	<u>n</u>	Ž	/olur	<u>ne</u>	
LWRP @	5513Z	Charlot	te Way			<u>T</u>	FA-V	W-E			_3	<u>98</u>	
 Comments: Operations were suspended on 1/14/08. The pump in well W-404 is turned on only for very limited durations for routine sampling. 													
7. I certify that the information in this report, to the best of my knowledge, is true and correct													
Operator Signature: Date: 03-31-2008													

Self-Monitoring Report LLNL Treatment Facility B (TFB) AREA TFB

1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December 29 30 31 January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 410

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>01-09-2008</u>
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>16.5</u>

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-357	139,800	5.7
W-610	112,000	4.8
W-621	164,000	6.7
W-620	88,400	3.4
W-655	169,100	6.4
W-704	143,900	5.8
W-1423	142,100	6.1
Total:	959,300	38.9

5. Discharge Information:

Discharge Location

West Perimeter Drainage Channel

Receiving
Water Station

Volume

TFB-R002

959,300

6. Comments:

Facility secured on 1-14-08 for operating system upgrades.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 01-31-2008

Self-Monitoring Report LLNL Treatment Facility B (TFB) AREA TFB

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): _0

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-357	0	0.0
W-610	0	0.0
W-621	0	0.0
W-620	0	0.0
W-655	0	0.0
W-704	0	0.0
W-1423	0	0.0
Total:	<u>0</u>	0.0

5. Discharge Information:

Discharge Location	Receiving Water Station	Volume
West Perimeter Drainage Channel	TFB-R002	_0

6. Comments:

System down entire month for operating system upgrades.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-29-2008

Self-Monitoring Report LLNL Treatment Facility B (TFB) AREA TFB

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): <u>250</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):

Influent pH:

Effluent pH:

Effluent Temperature (°C):

03-10-2008

7.5

7.5

22.8

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-357	82,800	5.6
W-610	69,100	3.8
W-621	104,900	7. 7
W-620	74,900	4.6
W-655	93,500	6.1
W-704	86,100	5.8
W-1423	101,200	4.6
Total:	612,500	38.2

5. Discharge Information:

<u>Discharge Location</u>

West Perimeter Drainage Channel

Receiving

Water Station

Volume

612,500

6. Comments:

Control system upgrade completed. Facility restarted on 3-10-08. System operated business hours only from 3-10-08 through 3-14-08. System operated in 24 hour mode from 3-17-08 through 3-21-08. Facility secured from 3-21-08 through 3-26-08 for weekend. Facility restarted on 3-26-08 in 24 hour mode.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: ______ Date: 03-31-2008

Land Observation Report date: TFB-R002 - West Perimeter Drainage Channel

1.	Reporting Period: Business Month <u>January</u> Year 2	2008	
2.	Date compliance sampling performed <u>01-09-2008</u>		
3.	Weather Conditions:		
	Average air tempertaure (°C): 6-day total precipitation (in): Average wind speed/direction (mph):	8.3 2.29 6/ S	
4.	Receiving Data:		
	Sample Location pH Temperature (C) Receiving Water 7.5 17.2		
5.	Land Observations, as "Yes" or "No", for reporting r	nonth:	
	Visual Observations	Effluent	Receiving Water
	Floating and Suspended Materials of Waste Origin Odor Discoloration and Turbidity Evidence of Beneficial Water Use	No No Not Required Not Required	<u>No</u> <u>No</u> <u>No</u> <u>No</u>
6.	Comments:		
7.	I certify that the information in this report, to the best Operator Signature: Company	t of my knowledge, i Date: <u>01-3</u>	

Land Observation Report date: TFB-R002 - West Perimeter Drainage Channel

1. Reporting Period: Business Month <u>February</u> Year <u>2008</u>

2.	Date compliance sampling performed <u>02-04-2008</u>					
3.	Weather Conditions:					
	Average air tempertaure (°C): 6-day total precipitation (in): Average wind speed/direction (mph):	7.3 .57 6/ SSW				
4.	Receiving Data:					
	Sample pH Temperature (C) Receiving Water N/M N/M					
5.	Land Observations, as "Yes" or "No", for reporting r	nonth:				
	Visual Observations	Effluent	Receiving Water			
	Floating and Suspended Materials of Waste Origin Odor Discoloration and Turbidity Evidence of Beneficial Water Use	No No Not Required Not Required	<u>No</u> <u>No</u> <u>No</u> <u>No</u>			
6.	Comments:					
7.	I certify that the information in this report, to the bes Operator Signature:					
	O					

Land Observation Report date: TFB-R002 - West Perimeter Drainage Channel

1.	Reporting Period: Business Month March Year 20	<u>08</u>	
2.	Date compliance sampling performed <u>03-10-2008</u>		
3.	Weather Conditions:		
	Average air tempertaure (°C): 6-day total precipitation (in): Average wind speed/direction (mph):	12.1 0 3/ SE	
4.	Receiving Data:		
	Sample Location pH Temperature (C) Receiving Water N/M N/M		
5.	Land Observations, as "Yes" or "No", for reporting r	nonth:	
	Visual Observations	Effluent	Receiving Water
	Floating and Suspended Materials of Waste Origin Odor Discoloration and Turbidity Evidence of Beneficial Water Use	No Not Required Not Required	<u>No</u> <u>No</u> <u>No</u> <u>No</u>
6.	Comments:		
7.	I certify that the information in this report, to the best Operator Signature:	% of my knowledge, i	is true and correct. 1-2008

Self-Monitoring Report LLNL Treatment Facility C (TFC) AREA TFC

1. Reporting Period: Business Month January Year 2008

2. Dates (in bold and underline) treated ground water was discharged

December 29 30 31

January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 485

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>01-07-2008</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>17.9</u>

4. Wellfield Data:

0	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-701	375,731	12.5
W-1015	207,916	7.0
W-1116	58,244	2.0
W-1103	56,556	1.7
W-1102	94,185	3.2
W-1104	788,047	27.0
Total:	1,580,679	53.4

5. Discharge Information:

Arroyo Las Positas

Receiving
Water Station
Volume

TFC-R003
1,580,679

6. Comments:

Facility was down for repairs to discharge pump.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: _______ Date: 01-31-2008

Self-Monitoring Report LLNL Treatment Facility C (TFC) AREA TFC

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 694

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>02-04-2008</u>
Influent pH:	7.0
Effluent pH:	7.5
Effluent Temperature (°C):	18

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-701	509,671	13.4
W-1015	293,507	7.1
W-1116	82,872	1.9
W-1103	77,828	1.7
W-1102	141,928	3.4
W-1104	1,125,133	27.8
Total:	2,230,939	<u>55.3</u>

5. Discharge Information:

<u>Discharge Location</u>

Parroyo Las Positas

Receiving
Water Station
Volume

TFC-R003
2,230,939

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: _________ Date: <u>02-29-2008</u>

Self-Monitoring Report LLNL Treatment Facility C (TFC) AREA TFC

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):

Influent pH:

Effluent pH:

7.0

Effluent Temperature (°C):

18.5

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-701	540,042	13.2
W-1015	301,359	7.5
W-1116	81,784	2.0
W-1103	79,670	2.0
W-1102	141,518	3.2
W-1104	1,150,591	27.3
Total:	2,294,964	<u>55.2</u>

5. Discharge Information:

Discharge Location Receiving
Water Station Volume

Arroyo Las Positas TFC-R003 2,294,964

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Low Curação Grando Date: 03-31-2008

Land Observation Report date: TFC-R003 - Arroyo Las Positas

- 1. Reporting Period: Business Month January Year 2008
- 2. Date compliance sampling performed <u>01-07-2008</u>
- 3. Weather Conditions:

Average air tempertaure (°C):	<u>8.6</u>
6-day total precipitation (in):	<u>2.48</u>
Average wind speed/direction (mph):	5/ S

4. Receiving Data:

Sample

<u>Location</u> <u>pH</u> <u>Temperature (C)</u>

Receiving Water 7 17.3

5. Land Observations, as "Yes" or "No", for reporting month:

<u>Visual Observations</u>	<u>Effluent</u>	Receiving Water
Floating and Suspended Materials of Waste Origin	No	No
Odor	No	No
Discoloration and Turbidity	Not Required	No
Evidence of Beneficial Water Use	Not Required	No

- 6. Comments:
- 7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-01-2008

Land Observation Report date: TFC-R003 - Arroyo Las Positas

1.	Reporting	Period:	Business	Month	February	Year	2008

- 2. Date compliance sampling performed 02-04-2008
- 3. Weather Conditions:

Average air tempertaure (°C): 7.3
6-day total precipitation (in): .57
Average wind speed/direction (mph): 6/ SSW

4. Receiving Data:

Sample

<u>Location</u> <u>pH</u> <u>Temperature (C)</u>

Receiving Water N/M N/M

5. Land Observations, as "Yes" or "No", for reporting month:

Visual Observations	<u>Effluent</u>	Receiving Water
Floating and Suspended Materials of Waste Origin	No	<u>No</u>
Odor	No	<u>No</u>
Discoloration and Turbidity	Not Required	<u>No</u>
Evidence of Beneficial Water Use	Not Required	<u>No</u>

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-29-2008

Land Observation Report date: TFC-R003 - Arroyo Las Positas

1.	Reporting Period: Business Month March Year 2008				
2.	Date compliance sampling performed 03-05-2008				
3.	Weather Condition	s:			
	Average air ter 6-day total pred Average wind	cipitatio	n (in):	12 0 5/ SE	
4.	Receiving Data:				
	Sample Location Receiving Water	<u>рН</u> <u>N/M</u>	Temperature (C) N/M		
5.	Land Observations	, as "Ye	s" or "No", for reporting 1	month:	
	Visual Observation	<u>ıs</u>		Effluent	Receiving Water
	Floating and Suspe Odor Discoloration and T Evidence of Benefit	Γurbidit	•	No No Not Required Not Required	<u>No</u> <u>No</u> <u>No</u> <u>No</u>
6.	Comments:				
7.	I certify that the inf Operator Signature	1	in this report, to the bes	Date: 04-0	

Self-Monitoring Report LLNL Mini Treatment Unit 1 (MTU1) AREA TFC-E

1. Reporting Period: Business Month January Year 2008

2. Dates (in bold and underline) treated ground water was discharged

Total monthly time facility operated (hours): 814

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	01-08-2008
Influent pH:	<u>6.5</u>
Effluent pH:	7.0
Effluent Temperature (°C):	<u>16.3</u>

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-368	218,986	4.5
W-413	763,496	15.5
Total:	982,482	20.0

5. Discharge Information:

Discharge Location	Water Station	Volume	
Arroyo Las Positas	TFC-R003	982,482	

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: All Was Date: 01-31-2008

Self-Monitoring Report LLNL Mini Treatment Unit 1 (MTU1) AREA TFC-E

1. Reporting Period: Business Month February Year 2008

2. Dates (in bold and underline) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 525

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	02-11-2008
Influent pH:	<u>7.0</u>
Effluent pH:	7.5
Effluent Temperature (°C):	<u> 19.6</u>

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-368	139,270	4.4
W-413	495,894	15.7
Total:	<u>635,164</u>	<u>20.1</u>

5. Discharge Information:

Discharge Location	Receiving Water Station	Volume
Arroyo Las Positas	TFC-R003	635,164

6. Comments:

Facility was down first four days of the month waiting for new resin columns. Facility was secured on 2-27-08.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: _______ Date: 02-29-2008

Self-Monitoring Report LLNL Mini Treatment Unit 1 (MTU1) AREA TFC-E

1. Reporting Period: Business Month March Year 2008

2. Dates (in bold and <u>underline</u>) treated ground water was discharged																
March	01 16	02 17	03 18	04 19	05 20	06 21	07 22	08 23	09 24	10 25	11 26	12 27	13 28	14 29	15 30	31
Total month	ıly tiı	me fa	acilit	у ор	erate	d (ho	ours)	:	<u>o</u>							
3. Monthly Com	plia	nce I	Data:													
Date compliance sampling performed (m/d/y): Not Measured Influent pH: Effluent pH: Effluent Temperature (°C):																
4. Wellfield Dat	a:															
Source		Mon <u>Vol</u> u	-	gal)		stanta ow R										
W-368 W-413				0).0).0									
Total:	•			<u>0</u>			0.0	<u>)</u>								
5. Discharge Inf	5. Discharge Information:															
Discharge	Loc	ation	<u>l</u>							ceivii ter S	•	<u>n</u>	Ŋ	/olui	<u>me</u>	
Arroyo	Las	<u>Posi</u>	<u>tas</u>						<u>T</u>	FC-	R003	<u>3</u>		•	0	
 Comments: The treatment facility is shutdown due to a FY 2008 funding reduction. DOE and the regulatory agencies were notified of this action. 																
7. I certify that the information in this report, to the best of my knowledge, is true and correct.																
Operator Signature: Date: 04-01-2008																

Self-Monitoring Report LLNL Portable Treatment Unit 1 (PTU1) AREA TFC-SE

1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December 29 30 31 January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 829

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	01-08-2008
Influent pH:	6.5
Effluent pH:	7.0
Effluent Temperature (°C):	<u>15.9</u>

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-1213 W-2201	328,334 433,188	6.7 8.9
Total:	761,522	<u>15.6</u>

5. Discharge Information:

Discharge Location	Water Station	Volume	
Arroyo Las Positas	TFC-R003	761,522	

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Many Date: 01-31-2008

Self-Monitoring Report LLNL Portable Treatment Unit 1 (PTU1) AREA TFC-SE

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 704

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	02-04-2008
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>17.2</u>

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-1213	277,352	6.5
W-2201	364,920	8.7
Total:	642,272	<u>15.2</u>

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	642,272

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-29-2008

Self-Monitoring Report LLNL Portable Treatment Unit 1 (PTU1) AREA TFC-SE

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 753

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>03-05-2008</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u> 19.1</u>

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-1213	296,066	6.5
W-2201	390,063	8.6
Total:	686,129	15.1

5. Discharge Information:

Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	686,129

6. Comments:

Self-Monitoring Report LLNL Treatment Facility D (TFD) AREA TFD

1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December 29 30 31 January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 825

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>01-16-2008</u>
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>18.2</u>

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
TTY		0.0
W-653	0	0.0
W-351	11,200	0.2
W-907-2	521,900	10.7
W-906	342,800	7.0
W-1206	580,800	11.7
W-1208	1,109,400	22.7
W-2102	0	0.0
W-2011	0	0.0
W-2101	0	0.0
Total:	2,566,100	52.3

5. Discharge Information:

Discharge Location Receiving
Water Station Volume

Arroyo Las Positas TFC-R003 2,566,100

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 01-31-2008

Self-Monitoring Report LLNL Treatment Facility D (TFD) AREA TFD

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): <u>660</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>02-05-2008</u>
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>17.9</u>

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
NV (50	0	0.0
W-653	0	0.0
W-351	9,500	0.2
W-907-2	419,600	10.8
W-906	216,000	7.0
W-1206	458,500	11.5
W-1208	890,500	22.7
W-2102	0	0.0
W-2011	0	0.0
W-2101	0	0.0
Total:	1,994,100	52.2

5. Discharge Information:

 Discharge Location
 Receiving Water Station
 Volume

 Arroyo Las Positas
 TFC-R003
 1,994,100

6. Comments:

Facility shut down on 2-24-08 due to low water alarm in extraction well. Facility restarted on 2-26-08.

7. I certify that the information in this peport, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-29-2008

Self-Monitoring Report LLNL Treatment Facility D (TFD) AREA TFD

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): <u>584</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	03-05-2008
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	18.8

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
XXI CEO	1 200	0.0
W-653	1,300	0.0
W-351	11,900	0.4
W-907-2	370,200	10.8
W-906	131,300	7.7
W-1206	317,500	12.2
W-1208	779,700	22.7
W-2102	0	0.0
W-2011	0	0.0
W-2101	0	0.0
Total:	1,611,900	53.8

5. Discharge Information:

 Discharge Location
 Receiving Water Station
 Volume

 Arroyo Las Positas
 TFC-R003
 1,611,900

6. Comments:

System down intermittently from 3-13-08 through 3-17-08 due to low flow fault. Facility down on 3-21-08 due to low flow fault. Restarted on 3-25-08. W-1206 went down on 3-21-08 due to transducer failure. W-906 operated intermittently due to flow meter issue.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Self-Monitoring Report (cont'd) LLNL Treatment Facility D (TFD) AREA TFD

Operator Signature: Sou Cowagus Co Date: 04-02-2008

Self-Monitoring Report LLNL Portable Treatment Unit 8 (PTU8) AREA TFD-E

- 1. Reporting Period: Business Month January Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December 29 30 31 January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): <u>675</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>01-16-2008</u>
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>17.2</u>

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1255	0	0.0
W-1253	Ŏ	0.0
	•	
W-1307	242,000	6.0
W-1303	44,700	1.1
W-1306	14,700	0.4
W-1404	0	0.0
W-1550	103,500	2.6
W-1301	41,000	1.2
W-2006	800	0.0
W-2203	28,800	0.8
Total:	475,500	12.1

5. Discharge Information:

Discharge Location	Water Station	Volume
Discharge Location	Receiving Water Station	Volume

6. Comments:

Facility went down on 1-4-08 due to computer touch screen failure. Touch screen replaced and facility restarted on 1-9-08.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Self-Monitoring Report (cont'd) LLNL Portable Treatment Unit 8 (PTU8) AREA TFD-E

Operator Signature: Date: 01-31-2008

Self-Monitoring Report LLNL Portable Treatment Unit 8 (PTU8) AREA TFD-E

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 665

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>02-05-2008</u>
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	16.3

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1253	0	0.0
W-1255	0	0.0
W-1307	240,200	6.1
W-1303	40,100	1.0
W-1306	9,700	0.3
W-1404	100	0.0
W-1550	101,500	2.6
W-1301	51,100	1.2
W-2006	1,000	0.0
W-2203	31,400	0.7
Total:	475,100	11.9

5. Discharge Information:

Discharge Location	Water Station	Volume
Arrovo Las Positas	TFC-R003	475,100

Receiving

6. Comments:

Self-Monitoring Report LLNL Portable Treatment Unit 8 (PTU8) AREA TFD-E

- 1. Reporting Period: Business Month March Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

Total monthly time facility operated (hours): 705

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>03-05-2008</u>
Influent pH:	7.0
Effluent pH:	7.5
Effluent Temperature (°C):	18.1

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-1255	0	0.0
W-1253	0	0.0
W-1307	257,600	6.2
W-1303	40,300	1.0
W-1306	13,700	0.3
W-1404	11,200	0.2
W-1550	107,800	2.6
W-1301	57,100	1.3
W-2006	1,300	0.0
W-2203	29,600	0.8
Total:	<u>518,600</u>	12.4

5. Discharge Information:

Discharge Location	Water Station	<u>Volume</u>
Arroyo Las Positas	_TFC-R003	518,600

6. Comments:

Facility down from 3-15-08 through 3-17-08 due to low flow alarm. Facility restarted on 3-17-08.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Self-Monitoring Report (cont'd) LLNL Portable Treatment Unit 8 (PTU8) AREA TFD-E

Operator Signature: State Cowaque C. Date: 03-31-2008

Self-Monitoring Report LLNL Portable Treatment Unit 10 (PTU10) AREA TFD-HPD

- 1. Reporting Period: Business Month January Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December 29 30 31 January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): _0

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)

W-1254	0	0.0
W-1653	0	0.0
W-1657	0	0.0
W-1551	0	0.0
W-1654	0	0.0
W-1552	0	0.0
W-1656	0	0.0
W-1650	0	0.0
W-1652	0	0.0
W-1651	0	0.0
W-1655	0	0.0
TD 4.1		
Total:	<u>0</u>	<u>0.0</u>

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	_0

6. Comments:

Facility secured for the insitu bioremediation treatability test and will remain off for the remainder of FY08.

Self-Monitoring Report (cont'd) LLNL Portable Treatment Unit 10 (PTU10) AREA TFD-HPD

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 01-31-2008

Self-Monitoring Report LLNL Portable Treatment Unit 10 (PTU10) AREA TFD-HPD

- 1. Reporting Period: Business Month February Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): _0

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1254	0	0.0
W-1653	0	0.0
W-1657	0	0.0
W-1551	0	0.0
W-1654	0	0.0
W-1552	0	0.0
W-1656	0	0.0
W-1650	0	0.0
W-1652	0	0.0
W-1651	0	0.0
W-1655	0	0.0
Total:	<u>0</u>	0.0

5. Discharge Information:

Discharge Location	Receiving Water Station	Volume
Arroyo Las Positas	_TFC-R003	_0

6. Comments:

Facility was secured on 10-11-07 for the insitu bioremediation treatability test and will remain off for the remainder of FY08.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Self-Monitoring Report (cont'd) LLNL Portable Treatment Unit 10 (PTU10) AREA TFD-HPD

Self-Monitoring Report LLNL Portable Treatment Unit 10 (PTU10) AREA TFD-HPD

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): $\underline{0}$

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

Source Volume(gal) Flow Rate(gpm) W-1254 0 0.0 W-1653 0 0.0 W-1657 0 0.0 W-1551 0 0.0 W-1654 0 0.0 W-1552 0 0.0 W-1656 0 0.0 W-1650 0 0.0 W-1651 0 0.0 W-1655 0 0.0 Total: 0 0.0		Monthly	Instantaneous
W-1653 0 0.0 W-1657 0 0.0 W-1551 0 0.0 W-1654 0 0.0 W-1552 0 0.0 W-1656 0 0.0 W-1650 0 0.0 W-1652 0 0.0 W-1651 0 0.0 W-1655 0 0.0	Source .	Volume(gal)	Flow Rate(gpm)
W-1653 0 0.0 W-1657 0 0.0 W-1551 0 0.0 W-1654 0 0.0 W-1552 0 0.0 W-1656 0 0.0 W-1650 0 0.0 W-1652 0 0.0 W-1651 0 0.0 W-1655 0 0.0	XX7 10 M 1		0.0
W-1657 0 0.0 W-1551 0 0.0 W-1654 0 0.0 W-1552 0 0.0 W-1656 0 0.0 W-1650 0 0.0 W-1652 0 0.0 W-1651 0 0.0 W-1655 0 0.0	W-1254	Ð	0.0
W-1551 0 0.0 W-1654 0 0.0 W-1552 0 0.0 W-1656 0 0.0 W-1650 0 0.0 W-1652 0 0.0 W-1651 0 0.0 W-1655 0 0.0	W-1653	0	0.0
W-1654 0 0.0 W-1552 0 0.0 W-1656 0 0.0 W-1650 0 0.0 W-1652 0 0.0 W-1651 0 0.0 W-1655 0 0.0	W-1657	0	0.0
W-1552 0 0.0 W-1656 0 0.0 W-1650 0 0.0 W-1652 0 0.0 W-1651 0 0.0 W-1655 0 0.0	W-1551	0	0.0
W-1656 0 0.0 W-1650 0 0.0 W-1652 0 0.0 W-1651 0 0.0 W-1655 0 0.0	W-1654	0	0.0
W-1650 0 0.0 W-1652 0 0.0 W-1651 0 0.0 W-1655 0 0.0	W-1552	0	0.0
W-1652 0 0.0 W-1651 0 0.0 W-1655 0 0.0	W-1656	0	0.0
W-1651 0 0.0 W-1655 0 0.0	W-1650	0	0.0
W-1655 0 0.0	W-1652	0	0.0
	W-1651	0	0.0
Total: 0 0.0	W-1655	0	0.0
	Total:	<u>0</u>	0.0

5. Discharge Information:

Discharge Location	Receiving Water Station	Volume
Arroyo Las Positas	TFC-R003	_0

6. Comments:

The treatment facility is shutdown due to a FY 2008 funding reduction. DOE and the regulatory agencies were notified of this action.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Self-Monitoring Report (cont'd) LLNL Portable Treatment Unit 10 (PTU10) AREA TFD-HPD

Operator Signature: Date: 04-01-2008

Self-Monitoring Report LLNL Portable Treatment Unit 2 (PTU2) AREA TFD-S

1. Reporting Period: Business Month January Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

Total monthly time facility operated (hours): 828

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>01-15-2008</u>
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>18</u>

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-1504	114,467	2.3
W-1510	120,742	2.8
W-1503	846,312	17.2
Total:	1,081,521	22.3

5. Discharge Information:

_	Receiving	
Discharge Location	Water Station	Volume
Arrovo Las Positas	TFC-R003	1,081,521

6. Comments:

W-1510 was down for two days(1/5,1/6)due to low flow.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 03-04-2008

Self-Monitoring Report LLNL Portable Treatment Unit 2 (PTU2) AREA TFD-S

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 699

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):

Influent pH:

Effluent pH:

Effluent Temperature (°C):

02-14-2008

7.5

7.5

17.5

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-1503	710,104	17.1
W-1510	114,881	2.7
W-1504	97,679	2.4
Total:	922,664	22.2

5. Discharge Information:

 Discharge Location
 Receiving

 Water Station
 Volume

 Arroyo Las Positas
 TFC-R003
 922,664

6. Comments:

NA

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 03-04-2008

Self-Monitoring Report LLNL Portable Treatment Unit 2 (PTU2) AREA TFD-S

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): <u>740</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>03-13-2008</u>
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>17.8</u>

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1503	751,800	16.9
W-1510	75,006	2.7
W-1504	103,419	2.3
Total:	930,225	21.9

5. Discharge Information:

Disabagas I agoting	Receiving	X 7 - 1
Discharge Location	Water Station	Volume
Arrovo Las Positas	TFC-R003	930,225

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 03-31-2008

Self-Monitoring Report LLNL Portable Treatment Unit 11 (PTU11) AREA TFD-SE

1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

Total monthly time facility operated (hours): 827

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>01-07-2008</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	<u>20.1</u>

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-314	815,238	16.7
W-1403	215,422	4.5
W-1308	149,235	3.1
W-1904	3	0.0
W-2005	29,461	0.3
SIP-ETC-201	0	0.0
Total:	1,209,359	24.7

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	1,209,359

6. Comments:

Shutdown facility 1/28/08 to replace Cuno Filters and inspect stripper trays.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 01-31-2008

Self-Monitoring Report LLNL Portable Treatment Unit 11 (PTU11) AREA TFD-SE

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February <u>01</u> <u>02</u> <u>03</u> <u>04</u> <u>05</u> <u>06</u> <u>07</u> <u>08</u> <u>09</u> <u>10</u> <u>11</u> <u>12</u> <u>13</u> <u>14</u> <u>15</u> **16** 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 385

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>02-01-2008</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	<u>20</u>

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-314	358,790	16.8
W-1403	89,590	4.6
W-1308	70,492	3.1
W-1904	3	0.0
W-2005	6,492	0.3
SIP-ETC-201	l 0	0.0
Total:	525,367	24.8

5. Discharge Information:

Arroyo Las Positas	TFC-R003	525,367
Discharge Location	Receiving Water Station Volu	

6. Comments:

Facility shutdown 2/16/07 due to loss of power at facility control system/data acquisition panel. System awaiting evaluation by Electrical personnel to determine cause of failure. Monthly BAAQMD compliance readings were not taken for reporting month.

7. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature: Date: 03-03-2008

Self-Monitoring Report LLNL Portable Treatment Unit 11 (PTU11) AREA TFD-SE

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 290

3. Monthly Compliance Data:

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-314	0	0.0
W-1403	87,879	6.3
W-1308	53,499	3.1
W-1904	0	0.0
W-2005	18,099	2.6
SIP-ETC-201	0	0.0
Total:	159,477	12.0

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	159,477

6. Comments:

Facility down from 2-16-08 through 3-18-08 due to control system issue. Facility restarted on 3-19-08.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature:

Date: 03-31-2008

Self-Monitoring Report LLNL Portable Treatment Unit 12 (PTU12) AREA TFD-SS

1. Reporting Period: Business Month January Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December 29 30 31 January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 828

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>01-16-2008</u>
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>16.3</u>

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-1523	416,222	8.6
W-1603	583,862	11.9
W-1602	226,502	4.6
W-1601	50,311	1.0
Total:	1,276,897	26.1

5. Discharge Information:

<u>Discharge Location</u>

Receiving

<u>Water Station</u>

Volume

Arroyo Las Positas

TFC-R003 1,276,897

6. Comments:

NA

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-25-2008

Self-Monitoring Report LLNL Portable Treatment Unit 12 (PTU12) AREA TFD-SS

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February

Total monthly time facility operated (hours): 623

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	02-14-2008
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>19</u>

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1523	314,662	8.4
W-1603	433,859	11.6
W-1602	153,676	4.5
W-1601	37,058	1.0
Total:	939,255	<u>25.5</u>

5. Discharge Information:

Arroyo Las Positas	Water Station TFC-R003	939,255
Discharge Location	Water Station	<u>Volume</u>
	Receiving	

6. Comments:

The facility was shutdown from 1533(2/16/08) until 1112 (2/19/08) due to a high H20 level in the sump.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 03-05-2008

Self-Monitoring Report LLNL Portable Treatment Unit 12 (PTU12) AREA TFD-SS

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): <u>750</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>03-18-2008</u>
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>19.1</u>

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1523	384,191	8.6
W-1603	536,545	11.9
W-1602	191,091	4.1
W-1601	44,680	1.0
Total:	1,156,507	25.6

5. Discharge Information:

Discharge Location Receiving
Water Station Volume

Arroyo Las Positas TFC-R003 1,156,507

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: ///// | Date: 05-01-2008

Self-Monitoring Report LLNL Portable Treatment Unit 6 (PTU6) AREA TFD-W

1. Reporting Period: Business Month January Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December 29 30 31 January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): <u>687</u>

3. Monthly Compliance Data:

<u>01-29-2008</u>
<u>7.5</u>
<u>7.5</u>
<u>20.9</u>

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1216	314,016	8.3
W-1215	301,832	7.9
W-1902	261,391	6.4
Total:	877,239	22.6

5. Discharge Information:

 Discharge Location
 Receiving

 Water Station
 Volume

 Arroyo Las Positas
 TFC-R003
 877,239

6. Comments:

System secure from 1/18/08 to 1/24/08 for carbon change.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-06-2008

Self-Monitoring Report LLNL Portable Treatment Unit 6 (PTU6) AREA TFD-W

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 694

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	02-20-2008
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	$2\overline{0.7}$

4. Wellfield Data:

	Monthly	Instantaneous
Source Source	Volume(gal)	Flow Rate(gpm)
W 1016	270.420	0.1
W-1216	379,430	9.1
W-1215	329,853	8.0
W-1902	59,908	0.0
Total:	<u>769,191</u>	<u>17.1</u>

5. Discharge Information:

Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	769,191

6. Comments:

Secured W-1902 on 2/7/08 for repairs to influent manifold.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Multiple Date: 03-21-2008

Self-Monitoring Report LLNL Portable Treatment Unit 6 (PTU6) AREA TFD-W

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): __753

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>03-06-2008</u>
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	$2\overline{0.6}$

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1216	404,611	9.0
W-1215	355,951	7.9
W-1902	0	0.0
Total:	<u>760,562</u>	<u>16.9</u>

5. Discharge Information:

Arroyo Las Positas	TFC-R003	760,562
Discharge Location	Water Station	Volume
	Receiving	

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: ______ Date: 04-01-2008

Self-Monitoring Report LLNL Vapor Extraction System 11 (VES11) AREA VTFD-ETCS

- 1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

December 29 30 31

January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

	Monthly	Instantaneous		H	Hours
Source Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	<u>T(°F)</u> o	of Op.
W-1904	0	0.0	0	0	0
W-ETC-2004	B 0	0.0	0	0	0
W-ETC-2004	A 0	0.0	0	0	0
W-ETC-2003	0	0.0	0	0	0
SIP-ETC-201	0	0.0	0	0	0
Total:	<u>0</u>	$\underline{0.0}$			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Self-Monitoring Report LLNL Vapor Extraction System 11 (VES11) AREA VTFD-ETCS

- 1. Reporting Period: Business Month February Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

3. Wellfield Data:

	Monthly	Instantaneous		F	Hours
Source	Volume(cu. ft) Flow Rate(scfm)	P(in. Hg)	<u>T(°F)</u> c	of Op.
W-1904	0	0.0	0	0	0
W-ETC-2004	B 0	0.0	0	0	0
W-ETC-2004	A 0	0.0	0	0	0
W-ETC-2003	0	0.0	0	0	0
SIP-ETC-201	. 0	0.0	0	0	0
Total:	<u>0</u>	0.0		-	

4. Comments:

Facility did not operate during reporting month and has not operated since 8/11/07 due to blower motor failure.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 03-03-2008

Self-Monitoring Report LLNL Vapor Extraction System 11 (VES11) AREA VTFD-ETCS

- 1. Reporting Period: Business Month March Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

	Monthly	Instantaneous		I	Tours
Source	Volume(cu. ft) Flow Rate(scfm)	P(in. Hg)	$\underline{T(^{\circ}F)}$	of Op.
W-1904	0	0.0	0	0	0
W-ETC-2004	B 0	0.0	0	0	0
W-ETC-2004	A 0	0.0	0	0	0
W-ETC-2003	0	0.0	0	0	0
SIP-ETC-201	. 0	0.0	0	0	0
Total:	<u>0</u>	0.0			

4. Comments:

The treatment facility is shutdown due to a FY 2008 funding reduction. DOE and the regulatory agencies were notified of this action.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 04-01-2008

Self-Monitoring Report LLNL Vapor Extraction System 07 (VES07) AREA VTFD-HPD

- 1. Reporting Period: Business Month January Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

December 29 30 31

January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

	Monthly Inst	tantaneous		F	Hours
Source	Volume(cu. ft) Flo	w Rate(scfm)	<u>P(in. Hg)</u>	<u>(°F)</u> <u>c</u>	of Op.
W-1651	0	0.0	0	0	0
W-1653	ŏ	0.0	ő	ŏ	ŏ
W-1657	0	0.0	Õ	0	0
W-1654	0	0.0	0	0	0
W-1652	0	0.0	0	0	0
W-1552	0	0.0	0	0	0
W-1655	0	0.0	0	0	0
W-1656	0	0.0	0	0	0
W-1650	0	0.0	0	0	0
W-HPA-002	A 0	0.0	0	0	0
W-HPA-002	B 0	0.0	0	0	0
Total:	<u>0</u>	0.0			

4. Comments:

Facility secured for the insitu bioremediation treatability test and will remain off for the remainder of FY08.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Multiplication Date: 02-01-2008

Self-Monitoring Report LLNL Vapor Extraction System 07 (VES07) AREA VTFD-HPD

- 1. Reporting Period: Business Month February Year 2008
- 2. Dates (in bold and underline) treatment facility operated

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source	Volume(cu. ft) Flow Rate(scfm)	<u>P(in. Hg)</u>	<u>T(°F)</u>	of Op.
W-1651	0	0.0	0	0	0
W-1653	0	0.0	0	0	Ŏ
W-1657	0	0.0	0	0	Ö
W-1654	0	0.0	0	0	0
W-1652	0	0.0	0	0	0
W-1552	0	0.0	0	0	0
W-1655	0	0.0	0	0	0
W-1656	0	0.0	0	0	0
W-1650	0	0.0	0	0	0
W-HPA-002	A 0	0.0	0	0	0
W-HPA-002	B 0	0.0	0	0	0
Total:	<u>0</u>	0.0			

4. Comments:

Facility was secured on 10-11-07 for the insitu bioremediation treatability test and will remain off for the remainder of FY08.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-29-2005

Self-Monitoring Report LLNL Vapor Extraction System 07 (VES07) AREA VTFD-HPD

- 1. Reporting Period: Business Month March Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1651	0	0.0	0	0	0
W-1653	0	0.0	0	0	0
W-1657	0	0.0	0	0	0
W-1654	0	0.0	0	0	0
W-1652	0	0.0	0	0	0
W-1552	0	0.0	0	0	0
W-1655	0	0.0	0	0	0
W-1656	0	0.0	0	0	0
W-1650	0	0.0	0	0	0
W-HPA-002A	A 0	0.0	0	0	0
W-HPA-002I	3 0	0.0	0	0	0
Total:	<u>0</u>	0.0			

4. Comments:

The treatment facility is shutdown due to a FY 2008 funding reduction. DOE and the regulatory agencies were notified of this action.

5. I certify that the info	ormation in th	nistreport, to t	the best of my	knowledge,	is true and	correct.
Operator Signature:	Scott	Kawasa	ile.	Date: <u>04-01</u>	<u>-2008</u>	

Self-Monitoring Report LLNL Vapor Extraction System 13 (VES13) AREA VTFD-HS

- 1. Reporting Period: Business Month January Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

December 29 30 31

January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

Source	Monthly <u>Volume(cu. f</u>	Instantaneous <u>t) Flow Rate(scfm)</u>	P(in. Hg)		Iours <u>f Op.</u>
W-653	0	0.0	0	0	0
W-2102	0	0.0	0	0	0
W-2011	0	0.0	0	0	0
W-2101	0	0.0	0	0	0
Total:	<u>0</u>	0.0			

4. Comments:

Facility did not operate during this period.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: State Curagnic Date: 01-31-2008

Self-Monitoring Report LLNL Vapor Extraction System 13 (VES13) AREA VTFD-HS

- 1. Reporting Period: Business Month February Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

3. Wellfield Data:

	Monthly	Instantaneous		F	Iours
Source	Volume(cu. ft	t) Flow Rate(scfm)	P(in. Hg)	<u>Γ(°F)</u> ο	<u>f Op.</u>
W-653	0	0.0	0	0	0
W-2102	0	0.0	0	0	0
W-2011	0	0.0	0	0	0
W-2101	0	0.0	0	0	0
Total:	<u>0</u>	0.0			

4. Comments:

Facility did not operate during this month.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-29-2008

Self-Monitoring Report LLNL Vapor Extraction System 13 (VES13) AREA VTFD-HS

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

Source	•	Instantaneous Flow Rate(scfm)	P(in. Hg)		lours f Op.
W-653	0	0.0	0	0	0
W-2102	0	0.0	0	0	0
W-2011	0	0.0	0	0	0
W-2101	0	0.0	0	0	0
Total:	<u>0</u>	0.0			

4. Comments:

Awaiting installation of vacuum extraction unit.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 03-31-2008

Self-Monitoring Report LLNL Portable Treatment Unit 3 (PTU3) AREA TFE-E

1. Reporting Period: Business Month January Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December 29 30 31 January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 604

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>01-28-2008</u>
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>20.8</u>

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-566	220,501	6.2
W-1109	58,950	1.6
W-1903	0	0.0
W-1909	0	0.0
W-2305	0	0.0
Total:	279,451	7.8

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	279,451

6. Comments:

System down 2/10/08 to 2/17/08 due to electronic modifications to W-1903.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature Date: 02-06-2008

Self-Monitoring Report LLNL Portable Treatment Unit 3 (PTU3) AREA TFE-E

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): <u>241</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):

Influent pH:

Effluent pH:

Effluent Temperature (°C):

02-19-2008

7.5

7.5

20.8

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-566	88,208	6.2
W-1109	21,212	1.4
W-1903	0	0.0
W-1909	0	0.0
W-2305	0	0.0
Total:	109,420	7.6

5. Discharge Information:

Discharge Location	Water Station	<u>Volume</u>
Arroyo Las Positas	TFC-R003	109,420

6. Comments:

System secure from 1/31/08 to 2/19/08 for electronic modifications.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: / LUX LUC Date: 03-04-2008

Self-Monitoring Report LLNL Portable Treatment Unit 3 (PTU3) AREA TFE-E

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): <u>601</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>03-11-2008</u>
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>20.9</u>

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-566	218,445	6.1
W-1109	55,427	1.5
W-1903	5	0.0
W-1909	0	0.0
W-2305	13	0.0
Total:	273,890	7.6

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	<u>Volume</u>
Arrovo Las Positas	TFC-R003	273,890

6. Comments:

System secure from 3/21/08 to 3/25/08 and 3/28/08 to 3/31/08 for electronic upgrades to wells: W-1903 and W-2305. Wells: W-1903 and W-2305 were run briefly on 3/10/08 to test new well pumps.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 04-01-2008

Self-Monitoring Report LLNL GAC Treatment Unit 07 (GTU07) AREA TFE-HS

1. Reporting Period: Business Month January Year 2008 2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged December 29 30 31 <u>01</u> <u>02</u> <u>03</u> <u>04</u> <u>05</u> <u>06</u> <u>07</u> <u>08</u> <u>09</u> <u>10</u> <u>11</u> <u>12</u> <u>13</u> <u>14</u> <u>15</u> January 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 Total monthly time facility operated (hours): 834 3. Monthly Compliance Data: Date compliance sampling performed (m/d/y): 01-28-2008 Influent pH: Effluent pH: Effluent Temperature (°C): 4. Wellfield Data: Monthly Instantaneous Source | Volume(gal) Flow Rate(gpm) W-2105 5,080 0.0W-2012 260,224 5.3 <u>5.3</u> Total: 265,304 5. Discharge Information: Receiving Discharge Location Water Station Volume Arroyo Las Positas TFC-R003 265,304 6. Comments: 7. I certify that the information in this report, to the best of my knowledge, is true and correct. ____ Date: **02-06-2008** Operator Signature;

Self-Monitoring Report LLNL GAC Treatment Unit 07 (GTU07) AREA TFE-HS

Reporting Period: Business Month <u>February</u> Year <u>2008</u>
 Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 652

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>02-19-2008</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	<u> 19.4</u>

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)	
W-2105	3,752	0.0	
W-2012	166,968	3.6	
Total:	170,720	3.6	

5. Discharge Information:

Discharge Location	Receiving Water Station	Volume

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 03-04-2008

Self-Monitoring Report LLNL GAC Treatment Unit 07 (GTU07) AREA TFE-HS

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): <u>557</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>03-11-2008</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	<u>19.7</u>

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)	
W-2105 W-2012	3,193 114,183	0.0 3.4	
Total:	117,376	3.4	

5. Discharge Information:

Discharge Location	Receiving Water Station	Volume
Arrovo Las Positas	TFC-R003	117,376

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 04-01-2008

Self-Monitoring Report LLNL Portable Treatment Unit 9 (PTU9) AREA TFE-NW

1. Reporting Period: Business Month January Year 2008 2. Dates (in **bold** and underline) treated ground water was discharged December 29 30 31 <u>01</u> <u>02</u> <u>03</u> <u>04</u> <u>05</u> <u>06</u> <u>07</u> <u>08</u> <u>09</u> <u>10</u> <u>11</u> <u>12</u> <u>13</u> <u>14</u> <u>15</u> January <u>16</u> <u>17</u> <u>18</u> <u>19</u> <u>20</u> <u>21</u> <u>22</u> <u>23</u> <u>24</u> <u>25</u> <u>26</u> <u>27</u> <u>28</u> <u>29</u> <u>30</u> <u>31</u> Total monthly time facility operated (hours): 834 3. Monthly Compliance Data: Date compliance sampling performed (m/d/y): 01-29-2008 Influent pH: Effluent pH: Effluent Temperature (°C): 4. Wellfield Data: Monthly Instantaneous Volume(gal) Flow Rate(gpm) Source | W-1211 965,410 19.4 W-1409 90,037 1.8 Total: 1,055,447 21.2 5. Discharge Information: Receiving Discharge Location Water Station Volume Arroyo Las Positas TFC-R003 1,055,447 6. Comments: 7. I certify that the information in this report, to the best of my knowledge, is true and correct.

____ Date: **02-06-2008**

Operator Signature:

Self-Monitoring Report LLNL Portable Treatment Unit 9 (PTU9) AREA TFE-NW

1. Reporting Period: Business Month February Year 2008 2. Dates (in **bold** and underline) treated ground water was discharged February <u>01</u> <u>02</u> <u>03</u> <u>04</u> <u>05</u> <u>06</u> <u>07</u> <u>08</u> <u>09</u> <u>10</u> <u>11</u> <u>12</u> <u>13</u> <u>14</u> <u>15</u> <u>16</u> <u>17</u> <u>18</u> <u>19</u> <u>20</u> <u>21</u> <u>22</u> <u>23</u> <u>24</u> <u>25</u> <u>26</u> <u>27</u> <u>28</u> <u>29</u> Total monthly time facility operated (hours): 696 3. Monthly Compliance Data: Date compliance sampling performed (m/d/y): 02-20-2008 Influent pH: Effluent pH: Effluent Temperature (°C): 4. Wellfield Data: Monthly Instantaneous Volume(gal) Flow Rate(gpm) Source 801,455 19.4 W-1211 W-1409 77,985 1.8 Total: 879,440 <u>21.2</u> 5. Discharge Information: Receiving Discharge Location Water Station Volume 879,440 Arroyo Las Positas TFC-R003 6. Comments: 7. I certify that the information in this report, to the best of my knowledge, is true and correct. Date: 03-04-2008 Operator Signature:

Self-Monitoring Report LLNL Portable Treatment Unit 9 (PTU9) AREA TFE-NW

Reporting Period: Business Month <u>March</u> Year <u>2008</u>
 Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): __755

3. Monthly Compliance Data:

4. Wellfield Data:

	Monthly	Instantaneous	
Source	<u>Volume(gal)</u>	Flow Rate(gpm)	
W-1211	868,596	19.3	
W-1409	82,046	1.8	
Total:	950,642	21.1	

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	950,642

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 04-01-2008

Self-Monitoring Report LLNL Mini Treatment Unit 04 (MTU04) AREA TFE-SE

1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>					
2. Dates (in bold an	id <u>underline</u>)	treated ground wa	ater was discha	arged	
December $\frac{29}{10} = \frac{30}{01} = \frac{31}{02}$ January $\frac{29}{10} = \frac{30}{10} = \frac{31}{10} = \frac{10}{10} = \frac{10}{10} = \frac{11}{10} = \frac{12}{10} = \frac{13}{10} = \frac{14}{10} = \frac{15}{10} = \frac{11}{10} =$					
Total monthly ti	me facility ope	erated (hours): _	<u>813</u>		
3. Monthly Complia	nce Data:				
Date compliance sampling performed (m/d/y): 01-09-2008 Influent pH: 7.0 Effluent pH: 7.5 Effluent Temperature (°C): 19.1					
4. Wellfield Data:					
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)	1		
W-359	291,602	6.4			
Total:	291,602	6.4			
5. Discharge Information: Receiving Discharge Location Water Station Volume					
Arroyo Las Positas TFC-R003 291,602					
6. Comments:					
7. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature: Date: 01-31-2008					

Self-Monitoring Report LLNL Mini Treatment Unit 04 (MTU04) AREA TFE-SE

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): <u>596</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>02-01-2008</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	<u>20.3</u>

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)	
W-359	235,028	6.4	
Total:	235,028	6.4	

5. Comments:

Facility was down on 2-2 to 2-4, due to cracked pipe. Pipe was fixed on 2-4. Restart facility on 2-5.

6. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Prien Mitchell Date: 03-03-2008

Self-Monitoring Report LLNL Mini Treatment Unit 04 (MTU04) AREA TFE-SE

1. Reporting Period: Business Month <u>March</u> Year <u>2008</u>						
2. Dates (in bold and <u>underline</u>) treated ground water was discharged						
March <u>01</u> <u>16</u>	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{05}{20} \frac{06}{21} \frac{07}{22} \frac{0}{2}$	$\frac{08}{23} \frac{09}{24} \frac{10}{25} \frac{11}{26} \frac{12}{27}$	13 14 15 28 29 30 31		
Total monthly to	ime facility ope	rated (hours):	<u>740</u>			
3. Monthly Complia	ince Data:					
Date compliance sampling performed (m/d/y): 03-06-2008 Influent pH: 7.0 Effluent pH: 7.0 Effluent Temperature (°C): 21						
4. Wellfield Data:						
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gp	<u>m)</u>			
W-359	274,665	6.5				
Total:	274,665	<u>6.5</u>	·			
5. Discharge Inform	nation:		Receiving			
Discharge Location		Water Station	Volume			
Arroyo Las Positas			TFC-R003	<u>274,665</u>		
6. Comments:						
7. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature: Date: 04-01-2008						

Self-Monitoring Report LLNL Mini Treatment Unit 03 (MTU03) AREA TFE-SW

1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December 29 30 31

January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15

16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): <u>668</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>01-09-2008</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	<u>21.8</u>

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)	
W-1520	381	0.0	
W-1518	71,466	1.7	
W-1522	58,911	1.4	
Total:	130,758	3.1	

5. Discharge Information:

Discharge Location	Receiving <u>Water Station</u>	<u>Volume</u>
Arroyo Las Positas	TFC-R003	130,758

6. Comments:

Facility down from 12/29 to 1/2 due to discharge pump failure. W-1520 is shut down per Ed Folsom due to high Tritium levels. Run only to collect sample.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 01-31-2008

Self-Monitoring Report LLNL Mini Treatment Unit 03 (MTU03) AREA TFE-SW

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

 01
 02
 03
 04
 05
 06
 07
 08
 09
 10
 11
 12
 13
 14
 15

 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 February

Total monthly time facility operated (hours): <u>599</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>02-05-2008</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	<u>20.9</u>

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-1520	0	0.0
W-1518	63,754	1.8
W-1522	49,933	1.4
Total:	113,687	3.2

5. Comments:

Facility down 2-16 to 2-18, for high sump level over weekend. W-1520 is down till further notice, due to high Tritium levels.

6. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Reachitchell _____ Date: <u>03-03-2008</u>

Self-Monitoring Report LLNL Mini Treatment Unit 03 (MTU03) AREA TFE-SW

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 740

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>03-06-2008</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	<u>20.2</u>

4. Wellfield Data:

	Monthly	Instantaneous
<u>Source</u>	Volume(gal)	Flow Rate(gpm)
XX/ 1500	23	2.0
W-1520		2.0
W-1518	79,826	1.8
W-1522	60,717	4.2
Total:	140,566	<u>8.0</u>

5. Discharge Information:

 Discharge Location
 Receiving

 Water Station
 Volume

 Arroyo Las Positas
 TFC-R003
 140,566

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Mison

Operator Signature:

__Date: 04-01-2008

Self-Monitoring Report LLNL Mini Treatment Unit 05 (MTU05) AREA TFE-W

1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December 29 30 31 January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): __783

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>01-09-2008</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.5</u>
Effluent Temperature (°C):	20.3

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)		
W-305	423,936	9.0		
W-292	294,175	6.2		
Total:	718,111	15.2		

5. Discharge Information:

 Discharge Location
 Receiving

 Water Station
 Volume

 Arroyo Las Positas
 TFC-R003
 718,111

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Rain Multiple Date: 02-01-2008

Self-Monitoring Report LLNL Mini Treatment Unit 05 (MTU05) AREA TFE-W

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 609

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>02-07-2008</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	<u>20.1</u>

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)		
W-305	328,909	9.0		
W-292	227,554	6.2		
Total:	556,463	15.2		

5. Comments:

Facility was down on 2-16 to 2-18 for maintenance.

6. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Research Date: 03-03-2008

Self-Monitoring Report LLNL Mini Treatment Unit 05 (MTU05) AREA TFE-W

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): _700

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>03-06-2008</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	<u>20.8</u>

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)		
W-305	379,548	9.0		
W-292	258,808	6.4		
Total:	638,356	15.4		

5. Discharge Information:

Discharge Location	Water Station Vol		
Arroyo Las Positas	TFC-R003	638,356	

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Legson of Things Date: 04-01-2008

Self-Monitoring Report LLNL Vapor Extraction System 16 (VES16) AREA VTFE-ELM

1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

December 29 30 31 January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source	Volume(cu. ft) Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1909	0	0.0	0	0	0
W-1903	0	0.0	0	0	0
W-2305	0	0.0	0	0	0
W-543-003	1,031,399	19.2	-2.2	47	816
W-543-001	389,579	7.5	-3.5	47	816
W-543-1908	660,570	12.4	-3.5	47	816
Total:	2,081,548	39.1			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-12-2008

Self-Monitoring Report LLNL Vapor Extraction System 16 (VES16) AREA VTFE-ELM

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source	Volume(cu. ft) Flow Rate(scfm)	P(in. Hg)	Γ(°F)	of Op.
W-543-1908	106,991	0.0	0	0	130
W-1903	0	0.0	0	0	0
W-2305	0	0.0	0	0	0
W-543-003	150,077	0.0	0	0	130
W-543-001	56,760	0.0	0	0	130
W-1909	0	0.0	0	0	0
Total:	313,828	0.0			

4. Comments:

Facility shutdown 2/5/08 due to blower motor failure. Monthly BAAQMD compliance readings were not taken for reporting month.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: ______ Date: 03-03-2008

Self-Monitoring Report LLNL Vapor Extraction System 16 (VES16) AREA VTFE-ELM

- 1. Reporting Period: Business Month March Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

	Monthly	Instantaneous		H	Iours
Source	Volume(cu. ft) Flow Rate(scfm)	P(in. Hg)	<u>Γ(°F)</u> ο	f Op.
W-1909	0	0.0	0	0	0
W-1903	0	0.0	0	0	0
W-2305	0	0.0	0	0	0
W-543-003	0	0.0	0	0	0
W-543-001	0	0.0	0	0	0
W-543-1908	0	0.0	0	0	0
	 				
Total:	0	0.0			

4. Comments:

The treatment facility is shutdown due to a FY 2008 funding reduction. DOE and the regulatory agencies were notified of this action.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 04-01-2008

Self-Monitoring Report LLNL Vapor Extraction System 12 (VES12) AREA VTFE-HS

- 1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source	Volume(cu. ft) Flow Rate(scfm)	<u>P(in. Hg)</u>	<u>T(°F)</u>	of Op.
W-ETS-2010H	313,782	5.9	95	46	821
W-ETS-2010A	226,538	4.4	18	46	821
W-ETS-2009	244,291	5.1	18	46	821
W-ETS-2008A	251,359	5.1	63	46	821
W-ETS-2008H	3 224,610	4.5	-4.46	46	821
W-2105	157,101	3.2	-1.84	46	821
Total:	1,417,681	28.2			<u></u>

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Mam Momo Date: 02-06-2008

Self-Monitoring Report LLNL Vapor Extraction System 12 (VES12) AREA VTFE-HS

- 1. Reporting Period: Business Month February Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

3. Wellfield Data:

Ŋ	Monthly	Instantaneous			Hours
Source Y	Volume(cu. ft	<u> Flow Rate(scfm)</u>	P(in. Hg)	$\underline{T({}^{o}F)}$	<u>of Op.</u>
W-ETS-2010B	262,358	5.7	~.5	48	702
W-ETS-2010A	•	4.5	18	48	702
W-ETS-2009	201,708	4.9	11	48	702
W-ETS-2008A	194,173	4.3	62	48	702
W-ETS-2008B	100,893	5.0	-4.45	48	702
W-2105	135,642	3.2	-1.88	48	702
Total:	1,082,778	27.7			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Self-Monitoring Report LLNL Vapor Extraction System 12 (VES12) AREA VTFE-HS

- 1. Reporting Period: Business Month March Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

	Monthly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	<u>P(in. Hg)</u> [Γ(°F)	of Op.
W-ETS-2010	B 98,845	0.0	0	0	275
W-ETS-2010	A 62,888	0.0	0	0	275
W-ETS-2009	70,462	0.0	0	0	275
W-ETS-2008	A 62,052	0.0	0	0	275
W-ETS-2008	B 154,456	0.0	0	0	275
W-2105	47,684	0.0	0	0	275
Total:	496,387	0.0			

4. Comments:

Facility failed on 3/10/08 due to a catastrophic motor failure in the liquid ring vacuum pump. Facility will not be restarted due to a FY 2008 funding reduction. DOE and the regulatory agencies were notified of this action.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Denomin 4. I have Date: 04-03-200

Self-Monitoring Report LLNL GAC Treatment Unit 01 (GTU01) AREA TFG-1

1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>										
2. Dates (in bold	and <u>underline</u>)	treated ground w	rater was discharge	ed						
December 2 January (29 30 31 01 02 03 04 16 17 18 19	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{2}{2} \frac{13}{28} \frac{14}{29} \frac{15}{30} \frac{11}{31}$						
Total monthly time facility operated (hours):795										
3. Monthly Comp	liance Data:									
Date compliance sampling performed (m/d/y): Influent pH: Effluent pH: Effluent Temperature (°C): 01-29-2008 7.0 7.0 18.6										
4. Wellfield Data:										
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)							
W-1111	432,262	8.8								
Total:	432,262	8.8								
5. Discharge Infor	mation:	,	.							
Discharge L	ocation		Receiving Water Station	<u>Volume</u>						
Arroyo S	<u>eco</u>		TFG-ASW	432,262						
6. Comments:										
7. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature: Date: 02-06-2008										

Self-Monitoring Report LLNL GAC Treatment Unit 01 (GTU01) AREA TFG-1

1. Reporting Period: Business Month February Year 2008

2. Dates (in bole	d and ur	nderline)) treate	ed groui	nd wa	iter v	vas d	isch	argeo	1			
February		$\frac{03}{18} \frac{04}{19}$										<u>15</u>	
Total monthly time facility operated (hours): 666													
3. Monthly Com	pliance l	Data:											
Date compliance sampling performed (m/d/y): Influent pH: Effluent pH: Effluent Temperature (°C): 02-19-2008 7.0 7.0 19.1													
4. Wellfield Data	ı:						•						
Source		nthly ume(gal)		antaneo w Rate(
W-1111		362,337		8.	8								
Total:		362,337		8.	8								
5. Discharge Info	ormation	:											
Discharge	Location	<u>n</u>					eivii ter S	-	<u>n</u>	7	/olui	<u>ne</u>	
Arroyo	Seco_					<u>T</u>	FG-	ASV	<u> </u>		362,3	<u>37</u>	
6. Comments:													
7. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature. Date: 03-04-2008													
Operator Signatu	re/ <i>[44</i>	X / Ll	/ ·					Dat	e: <u>03</u>	-04-	<u> 2008</u>		

Self-Monitoring Report LLNL GAC Treatment Unit 01 (GTU01) AREA TFG-1

1. Reporting Period: Business Month <u>March</u> Year <u>2008</u>										
2. Dates (in bold and <u>underline</u>) treated ground water was discharged										
March <u>0</u>	1 02 03 04 6 17 18 19	$\frac{05}{20} \frac{06}{21} \frac{07}{22} \frac{6}{21}$	$\frac{08}{23} \frac{09}{24} \frac{10}{25} \frac{11}{26} \frac{12}{25}$	$\frac{2}{7} \frac{13}{28} \frac{14}{29} \frac{15}{30} \frac{31}{29}$						
Total monthly time facility operated (hours):718										
3. Monthly Compli	ance Data:									
Date compliance sampling performed (m/d/y): Influent pH: Effluent pH: T.0 7.0 Ffluent Temperature (°C): 19.2										
4. Wellfield Data:										
Source	Monthly Volume(gal)	Instantaneous Flow Rate(gp								
W-1111	393,155	8.8								
Total:	393,155	8.8								
5. Discharge Inform	nation:		Daggiring							
Discharge Lo	ocation		Receiving Water Station	<u>Volume</u>						
Arroyo Se	<u>co</u>		TFG-ASW	393,155						
6. Comments:										
7. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature:										

Land Observation Report date: TFG-ASW - Arroyo Seco

1.	Reporting	Period:	Business	Month January	Year	2008

- 2. Date compliance sampling performed <u>01-29-2008</u>
- 3. Weather Conditions:

Average air tempertaure (°C):

6-day total precipitation (in):

51

Average wind speed/direction (mph):

4. Receiving Data:

Sample

<u>Location</u> <u>pH</u> <u>Temperature (C)</u>

Receiving Water 7.0 17.5

5. Land Observations, as "Yes" or "No", for reporting month:

Visual Observations	Effluent	Receiving Water
Floating and Suspended Materials of Waste Origin	No	<u>No</u>
Odor	No	<u>No</u>
Discoloration and Turbidity	Not Required	<u>No</u>
Evidence of Beneficial Water Use	Not Required	<u>N/A</u>

- 6. Comments:
- 7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature Level Date: 02-06-2008

Land Observation Report date: TFG-ASW - Arroyo Seco

1.	Reporting Period: 1	Busines	s Month February Year	<u>2008</u>						
2.	Date compliance sampling performed <u>02-19-2008</u>									
3.	Weather Condition	s:								
	Average air ter 6-day total pred Average wind	cipitatio	• •	9.5 .48 4/ SSE						
4.	Receiving Data:									
	Sample Location	<u>pH</u>	Temperature (C)							
	Receiving Water	<u>N/M</u>	<u>N/M</u>							
5.	Land Observations, as "Yes" or "No", for reporting month:									
	Visual Observation	<u>IS</u>		Effluent	Receiving Water					
	Floating and Suspe Odor Discoloration and T Evidence of Benefit	Γurbidit	•	No No Not Required Not Required	<u>No</u> <u>No</u> <u>No</u> <u>N/A</u>					
6.	Comments:									
7.	I certify that the inf	formatic	onpin this report, to the bes	st of my knowledge,	is true and correct.					
	Operator Signature	: <i>[[[</i>]	ul le	Date: <u>03-</u>	<u>04-2008</u>					

Land Observation Report date: TFG-ASW - Arroyo Seco

1.	Reporting Period: Business Month March Year 2008								
2.	Date compliance sampling performed <u>03-06-2008</u>								
3.	Weather Conditions:								
	Average air tempertaure (°C): 6-day total precipitation (in): Average wind speed/direction (mph):	11.5 0 5/ SE							
4.	Receiving Data:								
	Sample pH Temperature (C) Receiving Water N/M N/M								
5.	Land Observations, as "Yes" or "No", for reporting r	nonth:							
	Visual Observations	Effluent	Receiving Water						
	Floating and Suspended Materials of Waste Origin Odor Discoloration and Turbidity Evidence of Beneficial Water Use	No No Not Required Not Required	<u>No</u> <u>No</u> <u>No</u> <u>N/A</u>						
6.	Comments:								
7.	I certify that the information in this report, to the bes Operator Signature	t of my knowledge, i Date: 04-0							
	Operator Signature	Date: <u>04-0</u>	1						

Self-Monitoring Report LLNL Mini Treatment Unit 02 (MTU02) AREA TFG-N

1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December $\underline{29}$ $\underline{30}$ $\underline{31}$

January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 831

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	01-29-2008
Influent pH:	<u>7.5</u>
Effluent pH:	7.5
Effluent Temperature (°C):	$2\overline{0.5}$

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-1807	190,860	3.9
W-1806	62,893	1.2
Total:	253,753	5.1

5. Discharge Information:

Discharge Location	Water Station	<u>Volume</u>
Arrovo Las Positas	TFC-R003	253,753

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-06-2008

Self-Monitoring Report LLNL Mini Treatment Unit 02 (MTU02) AREA TFG-N

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 696

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>02-20-2008</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	<u> 19.6</u>

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-1807 W-1806	154,574 52,051	3.6 1.2
Total:	206,625	4.8

5. Discharge Information:

Discharge Location	Receiving <u>Water Station</u>	Volume	
Arroyo Las Positas	TFC-R003	206,625	

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 03-04-2008

Self-Monitoring Report LLNL Mini Treatment Unit 02 (MTU02) AREA TFG-N

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): <u>714</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>03-06-2008</u>
Influent pH:	<u>7.0</u>
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	<u>19.7</u>

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1807 W-1806	158,269 56,363	4.1 1.2
Total:	214,632	<u>5.3</u>

5. Discharge Information:

Discharge Location	Water Station	Volume
Arrovo Las Positas	TFC-R003	214.632

Receiving

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 04-03-2008

Self-Monitoring Report LLNL Portable Treatment Unit 5 (PTU5) AREA TF406

1. Reporting Period: Business Month _ January Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December <u>29</u> <u>30</u> <u>31</u>

January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 831

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): 01-29-2008
Influent pH: 7.5
Effluent pH: 7.5
Effluent Temperature (°C): 20.6

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1309 W-1310 GSW-445	90 709,293 51	3.3 14.3 1.9
Total:	709,434	19.5

5. Discharge Information:

Discharge Location Receiving Water Station

Volume

Arroyo Las Positas TFC-R003 709,434

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Ull Date: 02-06-2008

Self-Monitoring Report LLNL Portable Treatment Unit 5 (PTU5) AREA TF406

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): <u>696</u>

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):

Influent pH:

Effluent pH:

Effluent Temperature (°C):

02-14-2008

7.5

7.5

21.9

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1309 W-1310 GSW-445	0 583,069 0	0.0 14.2 0.0
Total:	583,069	14.2

5. Discharge Information:

 Discharge Location
 Receiving

 Water Station
 Volume

 Arroyo Las Positas
 TFC-R003
 583,069

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 03-21-2008

Self-Monitoring Report LLNL Portable Treatment Unit 5 (PTU5) AREA TF406

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 406

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>03-13-2008</u>
Influent pH:	<u>7.5</u>
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	<u>21.7</u>

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
	<u>volume(gar)</u>	110w Rate(gpin)
W-1309	36	0.0
W-1310	341,101	14.3
GSW-445	20	0.0
Total:	<u>341,157</u>	<u>14.3</u>

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
Arroyo Las Positas	TFC-R003	341,157

6. Comments:

System shut down on 3/17/08 due to well pump failure in W-1310. System was started on 3/28/08, pumping from wells: W-1309 and GSW-445, to take BAAQMD readings. System to remain secure until well pump repairs to W-1310 can be facilitated.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 03-31-2008

Self-Monitoring Report LLNL GAC Treatment Unit 03 (GTU03) AREA TF406-NW

1. Reporting Per	iod: Business Mor	th <u>January</u>	Year <u>2008</u>					
2. Dates (in bole	d and underline)	treated ground wa	nter was discharge	ed				
December January	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{09}{24} \ \frac{10}{25} \ \frac{11}{26} \ \frac{12}{27}$	$\frac{13}{28} \frac{14}{29} \frac{15}{30} \frac{31}{31}$				
Total month	Total monthly time facility operated (hours): <u>819</u>							
3. Monthly Com	pliance Data:							
Date compliance sampling performed (m/d/y): $01-28-2008$ Influent pH: 7.5 Effluent pH: 7.5 Effluent Temperature (°C): 21.2								
4. Wellfield Data	a:							
Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)						
W-1801	112,458	2.2						
Total:	112,458	2.2						
5. Discharge Info	ormation:		Danisis					
Discharge	Location		Receiving Water Station	Volume				
Arroyo	Las Positas		TFC-R003	112,458				
6. Comments:								
	6. Comments: 7. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature: Date: 02-06-2008							

Self-Monitoring Report LLNL GAC Treatment Unit 03 (GTU03) AREA TF406-NW

1. Reporting Period	d: Business Mon	th <u>February</u>	Year <u>2008</u>	
2. Dates (in bold a	and <u>underline</u>)	treated ground v	vater was discharg	ed
· · · · · · · · · · · · · · · · · · ·	1 02 03 04 6 17 18 19		3 09 10 11 12 3 24 25 26 27	2 <u>13</u> <u>14</u> <u>15</u> <u>7</u> 28 <u>29</u>
Total monthly	time facility ope	erated (hours):	314	
3. Monthly Compli	ance Data:			
Date compliant Influent pH: Effluent pH: Effluent Temp	ce sampling perferature (°C):	formed (m/d/y):	$ \begin{array}{r} \underline{02-14-2008} \\ \underline{7.0} \\ \underline{7.0} \\ \underline{20.3} \end{array} $	
4. Wellfield Data:				
Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpn	<u>1)</u>	
W-1801	51,264	2.1		
Total:	51,264	2.1		
5. Discharge Inform	nation:		Receiving	
Discharge Lo	ocation		Water Station	<u>Volume</u>
Arroyo La	s Positas		<u>TFC-R003</u>	51,264
6. Comments: Facility dow	n time due to lov	w flow from W-	1801.	
7. I certify that the	information in the	his report, to the	best of my knowle	edge, is true and correct
Operator Signature	:///////	ller	Date: (03-05-2008

Self-Monitoring Report LLNL GAC Treatment Unit 03 (GTU03) AREA TF406-NW

1. Reporting Per	iod:	Busi	ness	Moı	nth	<u>M</u> :	<u>arch</u>	_ Y	ear <u>2</u>	<u>800</u>						
2. Dates (in bol	d an	d <u>un</u>	derli	<u>ne</u>)	trea	ted g	groun	d wa	ater v	vas d	lisch	arge	d			
March	01 16	02 17	03 18	04 19		06 21	07 22		09 24	10 25	11 26	12 27	13 28		15 30	31
Total month	ly ti	me fa	acilit	у ор	erate	d (ho	ours)		<u>0</u>							
3. Monthly Com	plia	nce I	Data:													
Date compli Influent pH: Effluent pH: Effluent Ter 4. Wellfield Data	: nper				form	ned (1	m/d/	y): <u>N</u>	lot M	<u>leas</u>	ured					
Source			thly ime(aneo ate(g									
W-1801				0			0.0)								
Total:	•			0		***************************************	0.0	<u>)</u>								
5. Discharge Info	orma	tion:	:													
Discharge	Loc	ation	<u>l</u>							eivi ter S	ng <u>tatio</u>	<u>n</u>	Ž	Volu	<u>me</u>	
Arroyo	Las	<u>Posi</u>	<u>tas</u>						_ <u>T</u>	FC-	R003	<u>3</u>			_0	
6. Comments: System se	cure	penc	ling	well	W-1	801	pum _]	p rep	airs.							
7. I certify that tl	he in	form	igtio	ı in t	hisx	epor	t, to	the b	est o	f my	kno	wled	lge, i	s tru	e and	i correct.
Operator Signatu	Deperator Signature: Date: 04-08-2008															

Self-Monitoring Report LLNL Solar Treatment Unit 09 (STU09) AREA TF518-N

1. Reporting Perio	od: Bus	iness	Moi	nth	_ <u>Ja</u>	nuar	<u></u>	Year	200	<u>8</u>					
2. Dates (in bold and <u>underline</u>) treated ground water was discharged															
•	01 02 6 17	03 18						09 24		11 <u>26</u>	12 27	13 28		15 30	<u>31</u>
Total monthly time facility operated (hours): <u>161</u>															
3. Monthly Compliance Data:															
Date compliance sampling performed (m/d/y): 01-23-2008 Influent pH: 7.0 Effluent pH: 7.5 Effluent Temperature (°C): 14															
4. Wellfield Data:															
<u>Source</u>	Mor <u>Vol</u> u	thly ime(gal)			aneo late(s		!							
W-1410		24,0	579			2.7	7								
Total:		24,0	<u> 579</u>	,	***************************************	<u>2.7</u>	7								
5. Discharge Infor	mation	:						Dar	ceivi	no					
Discharge L	ocation	<u>1</u>								tatio	<u>n</u>	<u> </u>	Volu	<u>me</u>	
<u>Arroyo L</u>	as Posi	<u>tas</u>						<u>T</u>	FC-	R003	3		24,679		
6. Comments: 5/22/07 to 1/22/08 facility was down per Ed folsom. 1/25/08 facility down for Interlock check.															
7. I certify that the Operator Signature									•	kno Dat		_			l correct.

Self-Monitoring Report LLNL Solar Treatment Unit 09 (STU09) AREA TF518-N

1. Reporting Per	iod: Business Mor	nth <u>February</u>	Year <u>2008</u>					
2. Dates (in bold and <u>underline</u>) treated ground water was discharged								
February $\frac{01}{16} \frac{02}{17} \frac{03}{18} \frac{04}{19} \frac{05}{20} \frac{06}{21} \frac{07}{22} \frac{08}{23} \frac{09}{24} \frac{10}{25} \frac{11}{26} \frac{12}{27} \frac{13}{28} \frac{14}{29} \frac{15}{29}$								
Total monthly time facility operated (hours): 481								
3. Monthly Com	pliance Data:							
Date compliance sampling performed (m/d/y): Influent pH: Effluent pH: Effluent Temperature (°C): 02-05-2008 7.0 7.5 20.5								
4. Wellfield Date	4. Wellfield Data:							
Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)	1					
W-1410	72,993	2.5						
Total:	72,993	2.5						
5. Discharge Info	ormation:		Receiving					
Discharge	Location		Water Station	<u>Volume</u>				
<u>Arroyo</u>	Las Positas		TFC-R003	<u>72,993</u>				
6. Comments: Facility w	as shut down on 2-	-20 per Ed Folsom	due to Tritium lev	vel.				
_			est of my knowled	ge, is true and correct.				
7. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature: Date: 03-03-2008								
	inc. Accessive							

Self-Monitoring Report LLNL Solar Treatment Unit 09 (STU09) AREA TF518-N

1. Reporting Period: Business Month <u>March</u> Year <u>2008</u>

2. Dates (in bold	and	un	derli	<u>ne</u>)	trea	ted g	roun	ıd wa	iter v	vas d	lisch	argeo	l			
		02 17		04 19	05 20	06 21	07 22	08 23	09 24	10 25	11 26	12 27	13 28		15 30	31
Total monthly time facility operated (hours): _0																
3. Monthly Comp	olian	ce D	ata:													
Date compliance sampling performed (m/d/y): Not Measured Influent pH: Effluent pH: Effluent Temperature (°C):																
4. Wellfield Data:	:															
Source	Monthly Instantaneous Source Volume(gal) Flow Rate(gpm)															
W-1410				0			0.0)								
Total:	_			<u>0</u>		····	0.0	<u>)</u>								
5. Discharge Info	rmat	ion:							D							
Discharge Location									Receiving Water Station Volume							
			Arroyo Las Positas TFC-R003													
_Arroyo L	as I	Posit	as						_ <u>T</u>	FC-]	R003	<u> </u>			_0	
Arroyo L 6. Comments: The treatments the regulator	ent fa	acili	ty is						2008	3 fun			ictio	n. D0		nd
6. Comments: The treatme	ent fa	acili gene	ty is	were	noti his r	fied epor	of th	is ac	2008 tion.	3 fun	ding	redu			DE a	
6. Comments: The treatments the regulator	ent fa ory a e inf	acili gene	ty is	were	noti his r	fied epor	of th	is ac	2008 tion.	3 fun	ding	redı wled	ge, i		OE a	

Self-Monitoring Report LLNL Treatment Facility 518-HDTANK (TF518-HDTANK) AREA TF518-PZ

1. Reporting Period: Business Month January Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December 29 30 31 January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 819

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1615	123	0.0
W-518-1913	73	0.0
W-518-1914	0	0.0
W-518-1915	134	0.0
SVB-518-204	21	0.0
SVB-518-201	. 4	0.0
Total:	<u>355</u>	0.0

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	<u>Volume</u>
Arroyo Las Positas	TFC-R003	355.5

6. Comments:

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-01-2008

Self-Monitoring Report LLNL Treatment Facility 518-HDTANK (TF518-HDTANK) AREA TF518-PZ

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27

Total monthly time facility operated (hours): 687

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1615	329	0.0
W-518-1913	13	0.0
W-518-1914	18	0.0
W-518-1915	108	0.0
SVB-518-204	13	0.0
SVB-518-201	0	0.0
Total:	481	0.0

5. Discharge Information:

Discharge Location	Water Station	Volume
Arroyo Las Positas	_TFC-R003	480.9

6. Comments:

Facility shutdown 2/27/08 per Lindee Berg due to reduction of Environmental Restoration Division operations staff.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: An Morn on Date: 03-03-2008

Self-Monitoring Report LLNL Treatment Facility 518-HDTANK (TF518-HDTANK) AREA TF518-PZ

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 28 29 March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): _0

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1615	0	0.0
W-518-1913	0	0.0
W-518-1914	0	0.0
W-518-1915	0	0.0
SVB-518-204	0	0.0
SVB-518-201	. 0	0.0
Total:	<u>0</u>	0.0

5. Discharge Information:

Discharge Location	Water Station	Volume
<u>Arroyo Las Positas</u>	<u>TFC-R003</u>	_0

6. Comments:

The treatment facility is shutdown due to a FY 2008 funding reduction. DOE and the regulatory agencies were notified of this action.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 04-01-2008

Self-Monitoring Report LLNL Catalytic Reductive Dehalogenation 1 (CRD1) AREA TF5475-1

1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

,																
December January	29 01	30 02	31 03	04	05	06	07	08	09	10	11	12	13	14	15	
January	16	17		19	20	21		23		25		27	28	29		31
Total month	nly ti	me fa	acilit	у ор	erate	d (h	ours)	; <u>'</u>	<u>0</u>							
3. Monthly Con	nplia	nce I	Data:													
Date compling Influent pH Effluent pH Effluent Ter	: :				form	ned (m/d/	y): <u>N</u>	lot M	<u>Ieası</u>	<u>ıred</u>					
4. Wellfield Dat	a:															
Source		Mon <u>Volu</u>	•	gal)			aneo Late(s	us gpm)								
W-1302-2	2			0			0.0	0								
Total:				<u>0</u>			0.0	<u>D</u>								
5. Discharge Inf	orma	ation	:						_							
Discharge	Loc	atior	<u>1</u>							ceivii ter S	_	<u>n</u>	Ş	Volu	<u>me</u>	
CRD-1 injection					<u>W-1302-1</u> <u>0</u>											
6. Comments: The facili system loc	•		~			•	e mo	nth d	lue to	con	npute	er pro	oblei	ns (t	he	
7. I certify that t	he in	_	٨	_		•				f my	kno	wled	lge, i	s tru	e and	d correct
Onomatan Signat		R	, 1		19	0	レ	1.1	()		Det	a. 04	25	ኅስሰና	•	

Self-Monitoring Report LLNL Catalytic Reductive Dehalogenation 1 (CRD1) AREA TF5475-1

1 0	iou.	1)431	11000	14101	IUI	re	brua	iry	rea	r <u>200</u>	/ 0					
2. Dates (in bole	d and	d <u>un</u>	derli	<u>ne</u>)	trea	ted g	roun	ıd wa	iter v	vas d	lisch	arge	i			
February	01 16	02 17		04 19		06 21	07 22		09 24	10 25	11 26	12 27	13 28	14 29	15	
Total monthly time facility operated (hours): _0																
3. Monthly Com	pliar	псе Г)ata:													
Date compliance sampling performed (m/d/y): Not Measured Influent pH: Effluent pH: Effluent Temperature (°C):																
4. Wellfield Data	a:															
Source		Mon <u>Volu</u>	-	gal)			aneo ate(g	us <u>zpm)</u>	,							
W-1302-2				0			0.0)								
W-1302-2 Total:				<u>0</u>	•		0.0 <u>0.0</u>									
	•	ıtion:			•					: - : :						
Total:	orma									ceivir ter S	-	<u>n</u>	Ž	√oluı	<u>ne</u>	
Total: 5. Discharge Info	orma <u>Loc</u>	<u>ation</u>							Wa		tatio	<u>n</u>	Ž	√oluı	<u>ne</u>	
Total: 5. Discharge Info <u>Discharge</u>	orma <u>Loc</u> injec	ation etion	opei	o ate o		_	0.0	<u>)</u>	Wa V	ter S V-13	tatio 02-1	_	•			

Self-Monitoring Report LLNL Catalytic Reductive Dehalogenation 1 (CRD1) AREA TF5475-1

1. Reporting Per	iod:	Busi	ness	Moi	nth	_M	arch	_ Y	ear <u>2</u>	008						
2. Dates (in bole	d an	d <u>un</u>	derli	ine)	trea	ted g	grour	ıd wa	ater v	vas d	isch	arge	d			
March	01 16	02 17		04 19		06 21			09 24	10 25	11 26	12 27	13 28	14 29	15 30	31
Total month	ly ti	me fa	acilit	у ор	erate	d (h	ours)	: _	<u>o</u>							
3. Monthly Com	pliaı	nce I	Data:													
Date compli Influent pH: Effluent pH: Effluent Ten			•		form	ned (i	m/d/	y): <u>N</u>	lot M	<u>Ieas</u>	<u>ired</u>	•				
4. Wellfield Data	a:															
Source		Mon <u>Volu</u>	•		Ins Flo	stant: ow R			<u>!</u>							
W-1302-2				0			0.0	0								
Total:				<u>0</u>			0.0	<u>D</u>								
5. Discharge Info	orma	ition:	:						70							
Discharge	Loc	ation	<u>l</u>							ceivii iter S	_	<u>n</u>	7	Volu	<u>me</u>	
CRD-1 i	njec	ction							V	V-13	02-1				_0	
6. Comments: The treatments the regulat			-								ding	; redi	uctio	n. D	OE a	ınd
7. I certify that the	ne in	form	natio	n in t	his r	е́рог	t, to	the b	est o	of my	kno	wlec	lge, i	is tru	e and	d correct
Operator Signatu	ıre:/		U (K		7				Dat	e: <u>04</u>	<u> -01-</u>	<u> 2008</u>	<u> </u>	

Self-Monitoring Report LLNL GAC Treatment Unit 09 (GTU09) AREA TF5475-2

1. Reporting Period: Business Month January Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December 29 30 31

January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15

16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 388

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>01-16-2008</u>
Influent pH:	<u>6.5</u>
Effluent pH:	<u>7.0</u>
Effluent Temperature (°C):	<u>14.6</u>

4. Wellfield Data:

Source	Monthly Volume(gal)	Instantaneous Flow Rate(gpm)
W-1108 W-1415	93,439 4,000	4.1 0.4
Total:	97,439	<u>4.5</u>

5. Discharge Information:

	Receiving	
Discharge Location	Water Station	<u>Volume</u>
Arrovo Las Positas	TFC-R003	97,439

6. Comments:

Facility re-started on 1-15-08.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Atm V n N ay Date: 01-31-2008

Self-Monitoring Report LLNL GAC Treatment Unit 09 (GTU09) AREA TF5475-2

1. Reporting Period: Business Month February Year 2008

2. Dates (in bold and underline) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): 662

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y):	<u>02-04-2008</u>
Influent pH:	<u>6.0</u>
Effluent pH:	<u>6.6</u>
Effluent Temperature (°C):	<u>16</u>

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1108	161,300	4.0
W-1415	5,211	0.3
Total:	166,511	4.4

5. Discharge Information:

	Receiving		
Discharge Location	Water Station Vol		
Arroyo Las Positas	TFC-R003	166,511	

6. Comments:

Facility was secured on 2-27-08.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-29-2008

Self-Monitoring Report LLNL GAC Treatment Unit 09 (GTU09) AREA TF5475-2

1. Reporting Period: Business Month March Year 2008 2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 Total monthly time facility operated (hours): 0 3. Monthly Compliance Data: Date compliance sampling performed (m/d/y): Not Measured Influent pH: Effluent pH: Effluent Temperature (°C): 4. Wellfield Data: Monthly Instantaneous Source Volume(gal) Flow Rate(gpm) W-1108 0 0.0 0 W-1415 0.0 Total: 0 0.05. Discharge Information: Receiving Discharge Location Water Station Volume Arroyo Las Positas TFC-R003 6. Comments: The treatment facility is shutdown due to a FY 2008 funding reduction. DOE and the regulatory agencies were notified of this action. 7. I certify that the information in this report, to the best of my knowledge, is true and correct. Operator Signature: _ Date: **04-08-2008**

Self-Monitoring Report LLNL Catalytic Reductive Dehalogenation 2 (CRD2) AREA TF5475-3

1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

December 29 30 31

January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): 0

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

<u>Source</u>	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-1608	0	0.0
W-1605	0	0.0
W-1604	0	0.0
W-1609	0	0.0
Total:	<u>0</u>	0.0

5. Discharge Information:

Discharge Location Receiving
Water Station Volume

CRD-2 injection W-1610 0

6. Comments:

The facility did not run during the month due to high system pressure problems.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-25-2008

Self-Monitoring Report LLNL Catalytic Reductive Dehalogenation 2 (CRD2) AREA TF5475-3

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Total monthly time facility operated (hours): _0

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

Source	Monthly <u>Volume(gal)</u>	Instantaneous Flow Rate(gpm)
W-1608	0	0.0
W-1605	0	0.0
W-1604	0	0.0
W-1609	0	0.0
Total:	<u>0</u>	0.0

5. Discharge Information:

 Discharge Location
 Receiving Water Station
 Volume

 CRD-2 injection
 W-1610
 0

6. Comments:

The facility did not run during the month due to high system pressure problems.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 03-05-200

Self-Monitoring Report LLNL Catalytic Reductive Dehalogenation 2 (CRD2) AREA TF5475-3

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treated ground water was discharged

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Total monthly time facility operated (hours): _0

3. Monthly Compliance Data:

Date compliance sampling performed (m/d/y): Not Measured

Influent pH:

Effluent pH:

Effluent Temperature (°C):

4. Wellfield Data:

	Monthly	Instantaneous
Source	Volume(gal)	Flow Rate(gpm)
W-1608	0	0.0
W-1605	0	0.0
W-1604	0	0.0
W-1609	0	0.0
Total:	<u>0</u>	0.0

5. Discharge Information:

Discharge Location	Water Station	Volume	
CRD-2 injection	<u>W-1610</u>	_0	

6. Comments:

The treatment facility is shutdown due to a FY 2008 funding reduction. DOE and the regulatory agencies were notified of this action.

7. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 04-01-2008

Self-Monitoring Report LLNL Vapor Extraction System 08 (VES08) AREA VTF406-HS

1. Reporting Period: Business Month <u>January</u> Year <u>2008</u>

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

December 29 30 31 January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

Source	Monthly Volume(cu. ft)	Instantaneous Flow Rate(scfm)	P(in. Hg)	<u>T(°F)</u>	Hours of Op.	
W-217 W-514-2007A W-514-2007B	,	21.1 5.8 12.1	-4.05 -4.79 -4.65	55 55 55	821 821 821	
Total:	2,052,066	39.0				

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 01-31-2008

Self-Monitoring Report LLNL Vapor Extraction System 08 (VES08) AREA VTF406-HS

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

February <u>01</u> <u>02</u> <u>03</u> <u>04</u> <u>05</u> <u>06</u> <u>07</u> <u>08</u> <u>09</u> <u>10</u> <u>11</u> <u>12</u> <u>13</u> <u>14</u> <u>15</u> <u>16</u> <u>17</u> <u>18</u> <u>19</u> <u>20</u> <u>21</u> <u>22</u> <u>23</u> <u>24</u> <u>25</u> <u>26</u> <u>27</u> <u>28</u> <u>29</u>

3. Wellfield Data:

Source	Monthly Volume(cu. ft)	Instantaneous Flow Rate(scfm)	P(in. Hg)		Hours of Op.
W-514-2007A W-514-2007B W-217	•	4.0 15.1 21.1	-4.79 -4.65 -4.04	57 57 57	703 703 703
Total:	1,629,198	40.2			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Date: <u>03-03-2</u>008 Operator Signature:

Self-Monitoring Report LLNL Vapor Extraction System 08 (VES08) AREA VTF406-HS

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

Source	Monthly Volume(cu. ft)	Instantaneous Flow Rate(scfm)	P(in. Hg)		Hours of Op.
W-217	1,027,344	21.1	-4.12	58	748
W-514-2007A	240,613	5.7	-4.71	58	748
W-514-2007B	336,148	15.5	-4.57	58	748
Total:	1,604,105	42.4			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Stypeson & Wino ____ Date: 04-03-2008

1. Reporting Period: Business Month January Year 2008

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

3. Wellfield Data:

,	Monthly I	nstantaneous			Hours
Source Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	$\underline{\mathbf{T}(^{\mathbf{o}}\mathbf{F})}$	of Op.
W-274	0	0.0	0	0	0
W-2208A	0	0.0	0	Ŏ	0
W-2207A	0	0.0	0	0	0
W-2207B	421,810	8.7	-3	44	808
W-1517	0	0.0	0	0	0
W-2208B	228,685	6.0	-1.5	44	808
W-2204	0	0.0	0	0	0
W-2206	0	0.0	0	0	0
W-2205	0	0.0	0	0	0
Total:	650,495	<u>14.7</u>			umamamama

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-06-2008

- 1. Reporting Period: Business Month February Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

3. Wellfield Data:

	Monthly In:	stantaneous			Hours
Source	Volume(cu. ft) Flo	ow Rate(scfm)	P(in. Hg)	T(°F)	<u>of Op.</u>
W-2205	0	0.0	0	0	0
W-274	0	0.0	0	0	0
W-2208A	158	0.0	0	0	1
W-2207A	138	0.0	0	0	1
W-2207B	313,514	8.6	-2.8	50	599
W-1517	17	0.0	0	0	1
W-2208B	286,596	5.6	-1	50	599
W-2204	0	0.0	0	0	0
W-2206	0	0.0	0	0	0
Total:	600,423	14.2			

4. Comments:

Shutdown facility 2/1/08 due to leak at TFE-SE effluent piping. Facility was restarted 2/5/08. Monthly Volumes accumulated for SVE wells W-2207A, W-2208A and W-1517 were volumes purged from wells prior to quarterly sample collection.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 03-03-2008

- 1. Reporting Period: Business Month March Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

3. Wellfield Data:

	Monthly In:	stantaneous			Hours
<u>Source</u>	Volume(cu. ft) Flo	ow Rate(scfm)	P(in. Hg)	<u>T(°F)</u>	of Op.
W-274	0	0.0	0	0	0
W-2208A	0	0.0	0	0	0
W-2207A	0	0.0	0	0	0
W-2207B	417,034	9.4	-2.5	53	743
W-1517	0	0.0	0	0	0
W-2208B	431,564	10.1	-3.2	53	743
W-2204	0	0.0	0	0	0
W-2206	0	0.0	0	0	0
W-2205	0	0.0	0	0	0
Total:	848,598	19.5			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Despania 1. 4 hose Date: 04-03-200:

1. Reporting Period: Business Month January Week: 1 Year 2008

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

December 29 30 31 January 01 02 03 04

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	<u>P(in. Hg)</u>	<u>T(°F)</u>	of Op.
W-1615	14,104	1.4	-9	54	168
W-518-1913	6,044	0.6	-11.2	54	168
W-518-1914	27,200	2.7	-2	54	168
W-518-1915	5,037	0.5	-9.1	54	168
SVB-518-204	24,178	2.4	-5.5	54	168
SVB-518-201	31,229	3.1	-1.5	54	168
Total:	107,792	<u>10.7</u>	 		

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 01-22-2008

- 1. Reporting Period: Business Month January Week: 2 Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

January <u>05</u> <u>06</u> <u>07</u> <u>08</u> <u>09</u> <u>10</u> <u>11</u>

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	<u>T(°F)</u>	of Op.
W-1615	15,345	1.5	-9.5	50	170
W-518-1913	7,161	0.7	-12	50	170
W-518-1914	26,598	2.6	-2.8	50	170
W-518-1915	3,069	0.3	-10.9	50	170
SVB-518-204	25,575	2.5	-5.5	50	170
SVB-518-201	33,759	3.3	-1.5	50	170
Total:	111,507	<u>10.9</u>			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature. Date: 01-22-2008

- 1. Reporting Period: Business Month <u>January Week: 3</u> Year <u>2008</u>
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

January <u>12 13 14 15 16 17 18</u>

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1615	14,922	1.5	-9.8	36	166
W-518-1913	6,964	0.7	-11.6	36	166
W-518-1914	27,854	2.8	-2	36	166
W-518-1915	4,974	0.5	-9	36	166
SVB-518-204	24,870	2.5	<i>-</i> 5.5	36	166
SVB-518-201	31,834	3.2	-1.5	36	166
Total:	111,418	11.2			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

- 1. Reporting Period: Business Month <u>January Week: 4</u> Year <u>2008</u>
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

January <u>19 20 21 22 23 24 25</u>

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	$\underline{\mathrm{T}({}^{\mathrm{o}}\mathrm{F})}$	of Op.
W-1615	14,129	1.4	-10	46	168
W-518-1913	6,055	0.6	-11.5	46	168
W-518-1914	26,239	2.6	-2	46	168
W-518-1915	4,037	0.4	-10	46	168
SVB-518-204	24,221	2.4	-5.5	46	168
SVB-518-201	32,294	3.2	-1.5	46	168
Total:	106,975	10.6			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 01-29-2008

- 1. Reporting Period: Business Month February Week: 1 Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

<u>26</u> <u>27</u> <u>28</u> <u>29</u> <u>30</u> <u>31</u> January February

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	<u>T(°F)</u>	of Op.
W-1615	15,030	1.5	-10	38	167
W-518-1913	6,012	0.6	-11.9	38	167
W-518-1914	27,054	2.7	-2	38	167
W-518-1915	3,006	0.3	-10.6	38	167
SVB-518-204	25,050	2.5	-5.7	38	167
SVB-518-201	33,066	3.3	-1.5	38	167
Total:	109,218	<u>10.9</u>			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature

- 1. Reporting Period: Business Month February Week: 2 Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

February <u>02</u> <u>03</u> <u>04</u> <u>05</u> <u>06</u> <u>07</u> <u>08</u>

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	T(°F)	of Op.
W-1615	15,165	1.5	-9.6	48	168
W-518-1913	6,066	0.6	-11.4	48	168
W-518-1914	27,297	2.7	-2	48	168
W-518-1915	6,066	0.6	-8.6	48	168
SVB-518-204	24,264	2.4	-5.5	48	168
SVB-518-201	34,374	3.4	-1.5	48	168
Total:	113,232	11.2			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature. Date

Date: 02-13-2008

- 1. Reporting Period: Business Month February Week: 3 Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

February <u>09</u> <u>10</u> <u>11</u> <u>12</u> <u>13</u> <u>14</u> <u>15</u>

3. Wellfield Data:

	Weekly	Instantaneous	•		Hours
Source Source	Volume(cu. ft) Flow Rate(scfm)	<u>P(in. Hg)</u>	$T({}^{\circ}F)$	of Op.
W-1615	15,390	1.5	-9.5	65	171
W-518-1913	6,156	0.6	-11.3	65	171
W-518-1914	27,702	2.7	-2	65	171
W-518-1915	6,156	0.6	-8.5	65	171
SVB-518-204	24,624	2.4	-5.5	65	171
SVB-518-201	34,884	3.4	-1.5	65	171
Total:	114,912	11.2			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: ______ Date: 02-19-2008

- 1. Reporting Period: Business Month February Week: 4 Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

February <u>16</u> <u>17</u> <u>18</u> <u>19</u> <u>20</u> <u>21</u> <u>22</u>

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	<u>T(°F)</u>	of Op.
W-1615	15,120	1.5	-9.8	50	168
W-518-1913	6,048	0.6	-11.5	50	168
W-518-1914	27,216	2.7	-2	50	168
W-518-1915	4,032	0.4	-10.1	50	168
SVB-518-204	24,192	2.4	-5 . 5	50	168
SVB-518-201	34,272	3.4	-1.5	50	168
Total:	110,880	11.0			

4. Comments:

5. I certify that the information in this report, to the best of my knowledge, is true and	corre	and.	is true	doe i	റയിലിത	nv kno	of my	the be	t to	s repor	in this	rmation	infor	that the	Lectify	١ i
--	-------	------	---------	-------	--------	--------	-------	--------	------	---------	---------	---------	-------	----------	---------	-----

Operator Signature: Date: 03-03-2008

- 1. Reporting Period: Business Month February Week: 5 Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

February 23 24 25 26 27

3. Wellfield Data:

	Weekly	Instantaneous			Hours
Source Source	Volume(cu. ft) Flow Rate(scfm)	P(in. Hg)	<u>T(°F)</u>	<u>of Op.</u>
W-1615	9,173	1.3	-10.5	52	118
W-518-1913	4,234	0.6	-11.8	52	118
W-518-1914	17,640	2.5	-3.5	52	118
W-518-1915	1,411	0.2	-9.5	52	118
SVB-518-204	17,640	2.5	-5.6	52	118
SVB-518-201	24,696	3.5	-1.5	52	118
Total:	74,794	<u>10.6</u>			

4. Comments:

Facility was shutdown 2/27/08 and secured as a result of workforce reductions. Compliance reading were taken prior to facility shutdown. Soil vapor extraction unit drained of fluids and relocated to Bldg. 438 for storage.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 03-03-2008

- 1. Reporting Period: Business Month March Week: 1 Year 2008
- 2. Dates (in **bold** and <u>underline</u>) treatment facility operated

February 28 29 March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

	Weekly	Instantaneous		F	Tours
Source	Volume(cu. ft)	Flow Rate(scfm)	<u>P(in. Hg)</u> '	<u>Γ(°F)</u> ο	f Op.
W-1615	0	0.0	0	0	0
W-518-1913	0	0.0	0	0	0
W-518-1914	0	0.0	0	0	0
W-518-1915	0	0.0	0	0	0
SVB-518-204	0	0.0	0	0	0
SVB-518-201	0	0.0	0	0	0
Total:	<u>0</u>	0.0			

4. Comments:

The treatment facility is shutdown due to a FY 2008 funding reduction. DOE and the regulatory agencies were notified of this action.

5. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 04-09-2008

1. Reporting Period: Business Month January Year 2008

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

December 29 30 31

January 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

	Monthly	Instantaneous		E	Iours
Source	Volume(cu. ft)	Flow Rate(scfm)	<u>P(in. Hg)</u> '	<u>T(°F)</u> o	f Op.
W-ETS-507	0	0.0	0	0	0
W-1605	0	0.0	0	0	0
W-1608	0	0.0	0	0	0
W-2303	0	0.0	0	0	0
W-2212	0	0.0	0	0	0
W-2211	0	0.0	0	0	0
W-2302	0	0.0	0	0	0
SVI-ETS-50	4 0	0.0	0	0	0
Total:	<u>0</u>	0.0			

4. Discharge Information:

	Receiving	
Discharge Location	Water Station	Volume
VTF5475 Vapor Injection Well	SVI-ETS-505	_0

5. Comments:

The facility has been shut down until mixed waste issues have been resolved and did not run during the reporting month.

6. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 02-25-2008

1. Reporting Period: Business Month February Year 2008

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

February 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

3. Wellfield Data:

	Monthly	Instantaneous		F	Iours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	<u>Γ(°F)</u> ο	f Op.
W-ETS-507	0	0.0	0	0	0
W-1605	0	0.0	0	0	0
W-1608	0	0.0	0	0	0
W-2303	0	0.0	0	0	0
W-2212	0	0.0	. 0	0	0
W-2211	0	0.0	0	0	0
W-2302	0	0.0	0	0	0
SVI-ETS-504	0	0.0	0	0	0
Total:	<u>0</u>	0.0			

4. Discharge Information:

Discharge Location	Water Station	Volume
VTF5475 Vapor Injection Well	SVI-ETS-505	_0

Receiving

5. Comments:

The facility did not operate during the month. Mixed waste issues need to be resolved.

6. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature: Date: 03-05-2008

1. Reporting Period: Business Month March Year 2008

2. Dates (in **bold** and <u>underline</u>) treatment facility operated

March 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

3. Wellfield Data:

	Monthly	Instantaneous		H	Hours
Source	Volume(cu. ft)	Flow Rate(scfm)	P(in. Hg)	<u>T(°F)</u> c	of Op.
W-ETS-507	0	0.0	0	0	0
W-1605	0	0.0	0	0	0
W-1608	0	0.0	0	0	0
W-2303	0	0.0	0	0	0
W-2212	0	0.0	0	0	0
W-2211	0	0.0	0	0	0
W-2302	0	0.0	0	0	0
SVI-ETS-504	4 0	0.0	0	0	0
Total:	<u>0</u>	0.0			

4. Discharge Information:

	Receiving		
Discharge Location	Water Station	<u>Volume</u>	
VTF5475 Vapor Injection Well	SVI-ETS-505	0	


5. Comments:

The treatment facility is shutdown due to a FY 2008 funding reduction. DOE and the regulatory agencies were notified of this action.

6. I certify that the information in this report, to the best of my knowledge, is true and correct.

Operator Signature:

Date: 04-01-2008



Attachment C

Lake Haussmann First Quarter 2008 Monitoring Program Summary

No sampling was required during first quarter, 2008. Sampling will resume in June for the dry season. This attachment summarizes sampling requirements for LLNL Environmental Protection Department for discharge from Lake Haussmann. Lake Haussmann is an artificial water body that has a 37 acre-ft capacity. It is located in the central portion of the Livermore Site (Fig. C-1) and receives storm water runoff and treated ground water discharges.


Samples are collected from water discharged from Lake Haussmann and analyzed as outlined in Jackson (2002). The discharge samples are used to determine compliance with discharge limits in the *Record of Decision* (DOE, 1992), and the subsequent *Explanation of Significant Differences for Metals Discharge Limits* (Berg et al., 1997).

Dry season (June, July, August, September) discharges are sampled at each manual release or monthly during periods of continual release. Wet season (October through May) discharge samples are collected at the first release of the wet season and one other discharge in conjunction with a storm water monitoring event. Analytic results of discharge samples collected at location CDBX are compared with the LLNL Arroyo Las Positas outfall sample results collected at location WPDC (Fig. C-1). There are no analytical results for locations CDBX and WPDC because no sampling was required during first quarter, 2008.

Discharge from Lake Haussmann remained continuous during the first quarter. Lake Haussmann's upper weir gate was maintained at the lowered position during the entire first quarter so that releases occurred continuously to minimize changes in surface water level and allow for a more natural ecosystem.


References

- U.S. Department of Energy, *Record of Decision for the Lawrence Livermore National Laboratory*, *Livermore Site*, Lawrence Livermore National Laboratory, Livermore, CA, UCRL-AR-109105, (1992).
- Berg, L.L., E.N. Folsom, M.D. Dresen, R.W. Bainer, and A.L. Lamarre, Eds., *Explanation of Significant Differences for Metals Discharge Limits at the Lawrence Livermore National Laboratory, Livermore Site*, Lawrence Livermore National Laboratory, Livermore, CA, UCRL-AR-125927 (1997).
- Jackson, C.S., *Drainage Retention Basin Monitoring Plan Change*, Letter to Ms. Naomi Feger, San Francisco Bay RWQCB, Lawrence Livermore National Laboratory, Livermore, CA, WGMG02:175:CSJ:RW:kh, (December 6, 2002).



ERD-S3R-08-0041

Figure C-1. Location of Lake Haussmann showing discharge sampling locations.






Figure 1. Livermore Site treatment areas and treatment facility locations.




Figure 2. Ground water elevation contour map based on 125 wells completed within HSU-1B showing estimated hydraulic capture areas, LLNL and vicinity, November 2007.




Figure 3. Ground water elevation contour map based on 149 wells completed within HSU-2 showing estimated hydraulic capture areas, LLNL and vicinity, January 2008.




Figure 4. Ground water elevation contour map based on 67 wells completed within HSU-3A showing estimated hydraulic capture areas, LLNL and vicinity, January 2008.




Figure 5. Ground water elevation contour map based on 29 wells completed within HSU-3B showing estimated hydraulic capture areas, LLNL and vicinity, January 2008.




Figure 6. Ground water elevation contour map based on 30 wells completed within HSU-4 showing estimated hydraulic capture areas, LLNL and vicinity, February 2008.




Figure 7. Ground water elevation contour map based on 43 wells completed within HSU-5 showing estimated hydraulic capture areas, LLNL and vicinity, January 2008.